VOLUME 52 • AUTHOR INDEX

Aaraas I *et al.* Do general practitioner hospitals reduce the utilisation of general hospital beds? Evidence from Finnmark county in north Norway, **243**
Abrams P *see* Brookes ST *et al*
Abramsky L *see* Vrijheid M *et al*
Acuda W *see* Nhiwatiwa S *et al*
Adami H-O *see* Meirik O *et al*
Addington-Hall J *et al.* A randomised controlled trial of postal versus interviewer administration of a questionnaire measuring satisfaction with, and use of, services received in the year before death, **802**
Aelvoet W *see* de Henauw S *et al*
Ait-Tahar K *see* Neal KR *et al*
Ala'aldeen DAA *see* Neal KR *et al*
Albanes D *see* Teikari JM *et al*
Alberman E *see* Hilder L and Alberman E *see* Vrijheid M *et al*
Alderdice F *et al.* The feasibility of using a postal survey method to assess the health and development of 7 year old children of different birth weight, **439**
Alfredsson L *see* Peter R *et al*
Allardice GM *see* Rogers PA *et al*
Allen D *see* McNamee P *et al*
Alvarez CF *see* Llorca J *et al*
Alvarez-Dardet C *see* Porta M and Alvarez-Dardet C
Alvarez-Dardet C. How social class affects mortality?: *editorial*, **341**
In this number, **213**
In this number, **277**
In this number, **409**
In this number, **473**
In this number, **537**
In this number, **701**
Social class and the length of legs, **141**
Alvarez-Dardet C, Ashton J. Editorial call for papers, **141**
Alvarez-Dardet C, Ashton JR. And now—the next 50 years! A new editorial team takes over: *editorial*, **1**
Alvarez-Dardet C, Rosdahl N. In this number, **765**
Ament AJHA *see* van der Weijden T *et al*
Amouyel P *see* Lang T *et al*
Anand K *et al.* Thirty year trend (1967–1996) in prevalence of poliomyelitis and vaccine coverage in Ballabgarh, Haryana, India, **823**
Aravanis C *see* Dontas AS *et al*
Arensman E *see* Hawton K *et al*
Armstrong B *see* Stevenson S *et al*
Arveiler D *see* Lang T *et al*
Ashton J *see* Alvarez-Dardet C and Ashton J
Ashton J, Lee B. Being prepared to protect the public health. Information for thinking the unthinkable and doing the essential: *editorial*, **702**
Ashton JR *see* Alvarez-Dardet C and Ashton JR
Ashton WD *et al.* Alcohol consumption and cardiovascular risk factors in women: *abstract*, **692**
Aubó C *see* Masiá R *et al*
Austoker J *see* Banks E *et al*
Auvinen A *see* Dickman PW *et al*

Bachmann MO *see* Peters TJ *et al*
Bachmann MO, Nelson SJ. Impact of diabetic retinopathy screening on a British district population: case detection and blindness prevention in an evidence-based model, **45**
Baillie H *et al.* Inpatient episodes for breast cancer: variation by area and general practice: *abstract*, **687**
Baker D *et al.* Inequality in infant morbidity: causes and consequences in England in the 1990s, **451**
Will "welfare to work" improve the health of single parents?: *abstract*, **699**
Ballard T *see* Simonato L *et al*
Banerjee S *see* Hemingway H *et al*
Banks E *et al.* Effect on attendance at breast cancer screening of adding a self administered questionnaire to the usual invitation to breast screening in southern England, **116**
Bannister G *see* Daker-White G *et al*
Banzet MN *see* le Pen C *et al*
Barendregt JJ *see* Bonneux L *et al*
Barnett S *see* Hart AR *et al*
Barrio G *et al.* Cocaine use among heroin users in Spain: the diffusion of crack and cocaine smoking, **172**
Bartley M *see* Sacker A and Bartley M
Basdevant A *see* le Pen C *et al*
Bass AJ *see* Brameld KJ *et al*
Beaglehole R *see* Capewell S *et al*
Beck RW *see* Glenn LL *et al*
Beech R *et al.* An economic evaluation of early discharge to community based rehabilitation for stroke: *abstract*, **682**
Bellini P *see* Simonato L *et al*
Bengtsson C *see* Persson L-G *et al*
Bennett KE, Haggard MP. Accumulation of factors influencing children's middle ear disease: risk factor modelling on a large population cohort, **786**
Bennett S *et al.* Understanding health inequalities: mapping health and "risk" within and between differing localities: *abstract*, **693**
Ben-Shlomo Y *et al.* Serum cholesterol and mortality from haemorrhagic and non-haemorrhagic stroke: 16 year follow up of a third of a million men screened for the Multiple Risk Factor Intervention Trial: *abstract*, **683**
Beral V *see* Banks E *et al*
Bhopal R *et al.* Religious circumcision on the NHS: opinions of Pakistani people in Middlesbrough, England, **758**
Bille-Brahe U *see* Hawton K *et al*
Bingham A *see* Lang T *et al*
Binks K *see* Diggle PJ *et al*
Birt CA. The onward march of European public health: *editorial*, **770**
Bizgha V *see* Tabaku A *et al*
Bjerke T *see* Hawton K *et al*
Black N *see* Downs SH and Black N
Blanchon MA *see* Calmels P *et al*
Blane D *see* Smith GD *et al*
Blanks R *see* Moss S *et al*
Blatchford O, Capewell S. Emergency medical admission rates: general practices vary despite adjustment for age, sex, and deprivation: *abstract*, **689**
Blondel B, Marshall B. Poor antenatal care in 20 French districts: risk factors and pregnancy outcome, **501**
Boddy FA *see* Lewsey J *et al*
Boland A *et al.* Clinical and lay choice of explicit criteria for the prioritisation of elective waiting lists in Wales: survey evidence from Wales: *abstract*, **680**
Bolding G *see* Elford J *et al*
Boniface DR *et al.* Factors predictive of change over seven years in health related behaviours with implications for CHD risk: *abstract*, **682**
Bonneux L *et al.* The expiry date of man: a synthesis of evolutionary biology and public health, **619**
Book reviews Bannister B, Begg NT, Gillespie SH. Infectious disease, **408**
Beinin L. Public health during the emergency situations of disasters and mass migration of population, **604**
Blane D, Brunner E, Wilkinson R, *editors*. Health and social organisation: towards a health policy for the 21st century, **406**
Coote A, Hunter DJ. New agenda for health, **407**
Curtis S, Taket A. Health and societies, changing perspectives, **140**
Entwistle V, Watt IS, Herring JE. Information about health care effectiveness, **407**
Health Education Authority and Office For Public Management. Achieving health gain through health promotion in a primary care-led NHS, **211**
Health Education Authority. Promoting physical activity in primary health care. Guidance for the primary health care team, **139**
Hogg C, Baker R, McGuire C *editors*. Health promotion and the family: messages from four research studies, **140**
IPPNW. Crude nuclear weapons: proliferation and the terrorist threat, **406**
Jefferson T, Demicheli V, Mugford M. Elementary economic evaluation in health care., **407**
Lees P. Navigating the NHS: core issues for clincians, **536**
Lenaghan J, *editor*. Hard choices in health care, **212**
Lenaghan J. Rationing and rights in health care, **604**
Lewis J, Glennerster H. Implementing the new community care, **139**
Mays N, Dixon J. Purchaser plurality in UK health care, **604**
Mistry P. Rationalizing acute care services, **340**
National Primary Research and Development Centre. What is the future for a primary care-led NHS?, **406**
North C, Moore H, Owens C. Go home and rest? The use of an accident and emergency department by homeless people, **211**
Orna E, Stevens G. Managing information for research, **408**
Remington JS, Swartz MN, *editors*. Current clinical topics in infectious diseases. Vol 16, **407**
Richards P. Learning medicine, **536**
Ruggiero V, South N. Eurodrugs: drug use, markets and trafficking in Europe, **408**
Sasaki K, Hockwin O. Cataract epidemilogy, **604**
Simopoulos AP, *editor*. Metabolic consequences of changing dietary patterns, **211**
Tamurini M. Quality of life assessment in medicine, **406**
Waine C. Coronary heart disease, prevention, management and rehabilitation, **211**
Borch-Johnsen K *see* Prescott E *et al*
Borrell C *see* Rohlfs I *et al*
Bostock L *see* Bennett S *et al*
Boussard E *see* Carrat F *et al*

Bovet P *et al.* Blood thiamin status and determinants in the population of Seychelles (Indian Ocean), **237**
Boyle DIR *see* Evans JMM *et al*
Braddon FEM *see* Gunnell DJ *et al*
Bradley MP *et al.* "Late presenters" after paracetamol self poisoning, **762**
Brailsford SC *see* Davies RM *et al*
Braimoh S *see* Okolocha C *et al*
Brameld KJ *et al.* Hospitalisation of the elderly during the last year of life: an application of record linkage in Western Australia 1985–1994, **740**
Branigan P, Wellings K. Acceptance of the harm minimisation message in London clubs and tubes: *abstract*, **678**
Breeze E *see* Clarke R *et al*
Brenner MH *see* Schlaud M *et al*
Brind J *see* Meirik O *et al*
Brittan Y *see* Vlachonikolis IG *et al*
Britton A *see* McPherson K and Britton A *see* Moore MR *et al*
Brookes ST *et al.* An RCT comparing conservative management, TURP, and laser therapy for benign prostatic disease: *abstract*, **697**
Brown DWG *see* Crowcroft NS *et al*
Brown E *see* Lamping DL *et al*
Brown J *see* Schluter PJ *et al*
Brown N *see* Melville M *et al*
Brown S *see* O'Reilly D *et al*
Bruijnzeels MA *et al.* Validity and accuracy of interview and diary data on children's medical utilisation in the Netherlands, **65**
Brunner E *see* Stafford M *et al*
Bugel I *see* Niedhammer I *et al*
Buitendijk SE *see* de Walle HEK *et al* *see* van Enk A *et al*
Bunker CH *see* Markovic N *et al*
Burkett GL *see* Glenn LL *et al*
Burström B *see* Shouls S *et al*
Burton PR *et al.* Clinical significance not statistical significance: a simple Bayesian alternative to p values, **318**
Buskens E *see* Hak E *et al*
Busse R *et al.* Sentinel practices in evaluating longer periods of care: quality of life and drug therapy of terminally ill persons in Lower Saxony (Germany), **56S**

Cade J *et al.* Case-control study of breast cancer in south east England: nutritional factors, **105**
Calmels P *et al.* Relation between locomotion impairment, functional independence in retirement, and occupational strain resulting from work carried out during working life. Study of a sample population of 350 miners in the Loire valley in France, **283**
Cameron I *see* Morrison J *et al*
Campbell MJ *see* Burton PR *et al*
Campbell MK *see* Ramsay CR *et al* *see* Walker AE *et al*
Campbell R *et al.* Understanding compliance with physiotherapy: a qualitative study of people with osteoarthritis of the knee: *abstract*, **695**
Canning CR *see* Davies RM *et al*
Cantarovich D *see* Ramsay CR *et al*
Capewell S *see* Blatchford O and Capewell S
Capewell S *et al.* Contribution of modern cardiovascular treatment to the decline in coronary heart disease mortality in New Zealand 1982–1993: *abstract*, **691**
Carley S *et al.* Major incidents in Britain over the past 28 years: the case for the centralised reporting of major incidents, **392**
Carr AJ *see* Daker-White G *et al*
Carrat F *et al.* Surveillance of influenza-like illness in France. The example of the 1995/1996 epidemic, **32S**
Carr-Hill R *see* Jamison J *et al*
Carroll D *et al.* Blood pressure reactions to the cold pressor test and the prediction of ischaemic heart disease: data from the Caerphilly Study, **528**
Carroll L *see* Morrison J *et al*
Casamitjana M *see* Porta *et al*
Cassou B *see* Calmels P *et al*
Catto G *see* Ramsay CR *et al*
Cavelaars AEJM *et al.* Differences in self reported morbidity by educational level: A comparison of 11 Western European countries, **219**
Chambers J *see* Naidoo B and Chambers J
Chang CL *see* Farley TMM *et al*
Charbonnier C *see* Calmels P *et al*
Charlton J *see* Stevenson S *et al*
Charlton J, Fleming D. Health and healthcare utilisation of children in single parent families: *abstract*, **698**
Chau NP *see* Deguen S *et al*
Chauvin P, Valleron A-J. Participation of French general practitioners in public health surveillance: a multidisciplinary approach, **2S**
Chen HH *et al.* Evaluation by Markov chain models of a non-randomised breast cancer screening programme in women aged under 50 years in Sweden, **329**
Chen L-M *et al.* Underregistration of neonatal deaths: an empirical study of the accuracy of infantile vital statistics in Taiwan, **289**
Chenet L *et al.* Alcohol and cardiovascular mortality in Moscow; new evidence of a causal association, **772**
Chinchilli VM *see* Meirik O *et al*
Chintu K *see* Ransjö-Arvidson AB *et al*
Chiwuzie J *see* Okolocha C *et al*
Christensson K *see* Ransjö-Arvidson AB *et al*
Clarke R *et al.* Design, objectives, and lessons from a pilot 25 year follow up re-survey of survivors in the Whitehall study of London Civil Servants, **364**
Coast J *see* Peters TJ *et al*
Codde JP *see* Brameld KJ *et al*
Cody J *see* Ramsay CR *et al*
Cohen D *see* Boland A *et al*
Coleman MP *see* Rooney C *et al*
Coleman P *et al.* Attenders at accident and emergency departments (A and E) who could be treated in other settings: *abstract*, **690**
Collins R *see* Clarke R *et al*
Connolly E *see* Kelleher C *et al*
Constantine CE *see* Fone DL *et al*
Constantinovici N *see* Lamping DL *et al*
Cooper JA *see* Welton AJ *et al*
Cornel MC *see* de Walle HEK *et al*
Cottee MJ *see* Boniface DR *et al*
Cotton P *et al.* The social audit agenda—primary health care in a stakeholder society: *abstract*, **687**
Covas M *see* Masiá R *et al*
Crawford F *see* Freemantle N *et al*
Crepet P *see* Hawton K *et al*
Crialesi R *see* Cavelaars AEJM *et al*
Crook A *see* Hemingway H *et al*
Crossley B *see* Banks E *et al*
Crowcroft NS *et al.* Epidemiology of Epstein-Barr virus infection in pre-adolescent children: application of a new salivary method in Edinburgh, Scotland, **101**
Cullinan P *see* Harris JM *et al*

Daker-White G *et al.* A randomised comparison of specially trained physiotherapists versus sub-consultant surgeons in the initial assessment and management of new general practitioner referrals to outpatient orthopaedic departments: *abstract*, **696**
Dalgard OS, Håheim LL. Psychosocial risk factors and mortality: A prospective study with special focus on social support, social participation, and locus of control in Norway, **476**
Daly C *see* Ramsay CR *et al*
Danesh J *et al.* Strong correlation between *Helicobacter pylori* seropositivity and *Chlamydia pneumoniae* IgG concentrations, **821**
Dangoumau L *see* Carrat F *et al*
Darby S *see* Whitley E *et al*
Davey-Smith G *see* Pickin DM *et al*
David S *see* Niedhammer I *et al*
Davidson O *see* Taylor FC *et al*
Davies RM *et al.* Comparison of screening programmes for the early detection of retinopathy in patients with non-insulin dependent diabetes: *abstract*, **686**
Davis J *see* Banks E *et al*
Dawson J *et al.* Why surgeons choose different hip implants for THR—a retrospective study comparing medium term outcomes between implants, following rumours that one was failing: *abstract*, **695**
Dawson R *see* Hemingway H *et al*
Dean K, Salem N. Detecting measurement confounding in epidemiological research: construct validity in scaling risk behaviours: based on a population sample in Minnesota, USA, **195**
de Andrade HR *see* Falcão IM *et al*
Deans H *see* Thomas RE *et al*
de Backer G *see* de Henauw S *et al*
de Bakker DH *see* Verheij RA *et al*
de Bono AM *see* Hart AR *et al*
de Grauw WJC *et al.* Control group characteristics and study outcomes: empirical data from a study on mortality of patients with type 2 diabetes, **9S**
Deguen S *et al.* Epidemiology of chickenpox in France (1991—1995), **46S**
de Henauw S *et al.* Misclassification of coronary heart disease in mortality statistics. Evidence from the WHO-MONICA Ghent-Charleroi Study in Belgium, **513**
Deisenhammer E *see* Hawton K *et al*
de Jong-van den Berg LTW *see* de Walle HEK *et al*
de La Fuente L *see* Barrio G *et al*
Delaney B *see* Kelleher C *et al*
Delcroix C *see* Ramsay CR *et al*
de Leo D *see* Hawton K *et al*
Delgado-Rodriguez M *see* Llorca J *et al*
de Melker RA *see* Hak E *et al*
de Mheen PJM *et al.* Socioeconomic differentials in mortality among men within Great Britain: time trends and contributory causes, **214**
Demicheli V *see* Jefferson T and Demicheli V *see* Jefferson T *et al*

Der G *see* Macintyre S *et al*
de Rover CM *see* de Walle HEK *et al*
der Wekke JS *et al.* School absence and treatment in school children with respiratory symptoms in the Netherlands: data from the Child Health Monitoring System, **359**
de Smet P *see* de Henauw S *et al*
de Walle HEK *et al.* Periconceptional folic acid in the Netherlands in 1995. Socioeconomic differences, **826**
Díaz A *see* Barrio G *et al*
Dickinson H *see* Parker L and Dickinson H
Dickinson HO *see* Diggle PJ *et al*
Dickman PW *et al.* Measuring social class differences in cancer patient survival: Is it necessary to control for social class differences in general population mortality? A Finnish population-based study, **727**
Diderichsen F *see* Shouls S *et al*
Dieppe P *see* Campbell R *et al*
Diggle PJ *et al.* Dose classification: *letter*, **340**
Diguiseppi C *et al.* Smoke alarm ownership and house fire death rates in children, **760**
Diwan VK *see* Ransjö-Arvidson AB *et al*
Dixon S *see* Hartley-Sharpe C *et al*
Dolk H *see* Pattenden S *et al*
see Vrijheid M *et al*
Doll R *see* Whitley E *et al*
Donaghy M *see* Leng GC *et al*
Donaldson LJ *see* Wilson D *et al*
Donaldson LJ. Clinical governance: a statutory duty for quality improvement: *editorial*, **73**
Donkin AJM *see* Johnson AE *et al*
Donnan A, Rushton L. Lifestyle and occupation , **200**
Donnan S *see* Carley S *et al*
Donovan J *see* Campbell R *et al*
Donovan JL *see* Brookes ST *et al*
see Hopper CD *et al*
Dontas AS *et al.* Comparative total mortality in 25 years in Italian and Greek middle aged rural men, **638**
Dopson S *see* Gabbay J *et al*
Douglas AC *see* Leng GC *et al*
Doust J *see* Taylor AH *et al*
Downs SH, Black N. The feasibility of creating a checklist for the assessment of the methodological quality both of randomised and non-randomised studies of health care interventions, **377**
Drey N *et al.* The outcomes in a population-based cohort of diagnosed chronic renal failure: *abstract*, **685**
Drummond N *see* O'Donnell CA *et al*
Ducimetière P *see* Lang T *et al*
Duffy SW *see* Chen HH *et al*
Dunn L *see* Somerset M *et al*
Dunning M *see* Gabbay J *et al*
Durant J *see* Hopper CD *et al*

Eachus JI *see* Peters TJ *et al*
Eaden J *see* Hart AR *et al*
Eames MA, Klein L. Can general practice produce the information required to keep public health accountable?: *abstract*, **686**
Ebrahim S *see* Pickin DM *et al*
Ebrahim S, Smeeth L. Numbers needed to treat derived from meta-analyses are misleading: *abstract*, **695**
Eccles M *see* Robinson A *et al*
Ecochard R *see* Calmels P *et al*
Edelman J *see* Hemingway H *et al*
Edward N *see* Ramsay CR *et al*
Edwards RT *see* Boland A *et al*
Egan E *see* Kelleher C *et al*
Egger M *see* Smith GD and Egger M
Egger M, Smith GD. Double placebo trials, strong beliefs and meta-analysis: lessons from homoeopathy and cardiology: *abstract*, **695**
Eklund G *see* Meirik O *et al*
Elbourne D *see* Snowdon C *et al*
Elford J *et al.* New therapies for HIV and sexual risk behaviour among gay men in London: *abstract*, **678**
Ellaway A *see* Macintyre S *et al*
Ellis PJ *see* Ellis SJ *et al*
Ellis SJ *et al.* Is forced dextrality an explanation for the fall in the prevalence of sinistrality with age? A study in northern England, **41**
Ellison GTH. How robust is the association between income distribution and health?: *abstract*, **694**
Elwood PC *see* Carroll D *et al*
see Gallacher JEJ *et al*
Elwood PC, Hughes C. A short history of aspirin: *abstract*, **683**
Emerton M *see* Dawson J *et al*
Emmelin M *see* Lindholm L *et al*
Emslie C *et al.* Gender differences in minor morbidity amongst bank employees, civil servants, and university employees: *abstract*, **699**
English R *see* Banks E *et al*
Eriksson B *see* Ransjö-Arvidson AB *et al*
Espley A *see* Orbell S *et al*
Etter J-F, Perneger TV. Health care expenditures after introduction of a gatekeeper and a global budget in a Swiss health insurance plan, **370**
Etter J-F *et al.* Unexpected effects of a prior feedback letter and a professional layout on the response rate to a mail survey in Geneva, **128**
Evans BG *see* Rogers PA *et al*
Evans JMM *et al.* The DARTS database: epidemiological and health services research initiatives into diabetes: *abstract*, **686**
Evans M *see* Campbell R *et al*
Evans MR *see* Llewellyn LJ *et al*

Fabregat X *see* Porta *et al*
Fahey T *see* Montgomery AA and Fahey T
Falcão IM *et al.* Programme for the surveillance of influenza in Portugal: results of the period 1990—1996, **39S**
Falcão JM *see* Falcão IM *et al*
Falk-Whynes J *see* Pringle M *et al*
Farley TMM *et al.* Combined oral contraceptives, smoking, and cardiovascular risk, **775**
Farran N *see* Carrat F *et al*
Farrow A *see* West RR *et al*
Fayol V *see* Bovet P *et al*
Fear NT *et al.* Childhood cancer and paternal employment in agriculture: the role of pesticides: *abstract*, **684**
Fearn T *see* Whitley E *et al*
Feder G *see* Hemingway H *et al*
Ferrières J *see* Lang T *et al*
Ferrières J. Coronary heart disease epidemiology: a look towards the South: *editorial*, **706**
Ferry S *see* Owen-Smith V *et al*
Flahault A *see* Carrat F *et al*
see Deguen S *et al*
Fleming D *see* Charlton J and Fleming D
Fletcher A *see* Clarke R *et al*
Fletcher T *see* Stevenson S *et al*
Florey CDV *see* Williams FLR *et al*
Flynn J *see* Dawson J *et al*
Foets M *see* Bruijnzeels MA *et al*
Fone DL *et al.* The Worcester water incident, UK: bias in self reported symptoms to an emergency helpline, **526**
Ford G *see* Macintyre S *et al*
Ford RPK *see* Schluter PJ *et al*
Førde OH *see* Aaraas I *et al*
Forey BA *see* Lee PN and Forey BA
Foy R *et al.* Testing for *Helicobacter pylori* in primary care: trouble in store?, **305**
Frankel S *see* Gunnell DJ *et al*
Frankel SJ *see* Gunnell DJ *et al*
Fraser I *see* Cotton P *et al*
Freemantle N *et al.* Evidence into practice, experimentation and quasi experimentation: are the methods up to the task?, **75**
Friedman GD *et al.* Mentholated cigarettes and non-lung smoking related cancers in California, USA, **202**
Frohlich K *see* Kuh D *et al*
Frost NA *see* Hopper CD *et al*
Fuhrer R *see* Clarke R *et al*
see Emslie C *et al*

Gabbay J *see* McColl A *et al*
Gabbay J *et al.* Off the PACE? Lessons from a qualitative study of a national programme to implement clinical effectiveness: *abstract*, **681**
Gaffney D, Pollock AM. PFI and the end of evidence-based planning: *abstract*, **687**
Gallacher JEJ *see* Carroll D *et al*
Gallacher JEJ *et al.* Anger in the Caerphilly study: *abstract*, **683**
Gallén M *see* Porta *et al*
Garcia J *see* Snowdon C *et al*
Georgoulias V *see* Vlachonikolis IG *et al*
Geurts JJM *see* Cavelaars AEJM *et al*
Gillam S *see* Gabbay J *et al*
Gilliland A *see* O'Reilly D *et al*
Gillis C *see* Macleod U *et al*
see Smith GD *et al*
Gillis CR *see* Montazeri A *et al*
Gilman EA *see* Knox EG and Gilman EA
Gilmour WH *see* Moore MR *et al*
Gilthorpe MS, Lilford RJ. Clinical trial evaluation of a screening programme for factor V Leiden: the role of decision analysis: *abstract*, **677**
Glenn LL *et al.* Effect of a transient, geographically localised economic recovery on community health and income studied with longitudinal household cohort interview method, **749**
Goldberg M *see* Niedhammer I *et al*
Goldbohm RA *see* van Loon AJM *et al*
Gomez G *see* Porta *et al*
Gonthier R *see* Calmels P *et al*
Goodwin N *see* Malbon G *et al*
Gordon D *see* Baillie H *et al*
see Leng GC *et al*

Gordon DS, Kohli HS. Is there still a health legacy from 19th century migration into Lanarkshire?: *abstract*, **697**
Gough H *see* Kelleher C *et al*
Gray D *see* Melville M *et al*
Grech V. An excess of tetralogy of Fallot in Malta, **280**
Green M *see* Whitley E *et al*
Grimshaw J *see* Morrison J *et al*
see Thomas RE *et al*
Grimshaw JM *see* Ramsay CR *et al*
see Walker AE *et al*
Groenewegen PP *see* Verheij RA *et al*
Grol RPTM *see* van der Weijden T *et al*
Grötvedt L *see* Cavelaars AEJM *et al*
Gundle R *see* Dawson J *et al*
Gunnell DJ *see* Peters TJ *et al*
Gunnell DJ *et al.* Childhood leg length and adult mortality: follow up of the Carnegie (Boyd Orr) Survey of Diet and Health in Pre-war Britain, **142**
Childhood obesity and adult cardiovascular mortality: a 57 year follow up study based on the Boyd Orr cohort: *abstract*, **693**
Gunning-Schepers LJ *see* de Mheen PJM *et al*
Gurrin LC *see* Burton PR *et al*

Haas B *see* Lang T *et al*
Habbema JDF *see* Wildhagen MF *et al*
Haggard MP *see* Bennett KE and Haggard MP
Håheim LL *see* Dalgard OS and Håheim LL
Haines A *see* Taylor FC *et al*
Hak E *et al.* Is immunising all patients with chronic lung disease in the community against influenza cost effective? Evidence from a general practice based clinical prospective cohort study in Utrecht, the Netherlands, **120**
Hakulinen T *see* Dickman PW *et al*
Hameed A *see* Bhopal R *et al*
Hammar N *see* Peter R *et al*
Hamouda O *see* Siedler A *et al*
Hannaford PC *see* Owen-Smith V *et al*
Haran D. Health sector reform: *editorial*, **768**
Hardy R *see* Kuh D *et al*
Hardy R *et al.* Association between childhood obesity and social class and adult obesity across the life course in a British national cohort: *abstract*, **693**
Harris JM *et al.* Does cryptogenic fibrosing alveolitis carry an increased risk of death from lung cancer?, **602**
Harris S *see* Lamping DL *et al*
Hart AR *et al.* Colorectal cancer prevention. An approach to increasing compliance in a faecal occult blood test screening programme, **818**
Hart C *see* Smith GD *et al*
see Smith GD *et al*
Hart CL *see* de Mheen PJM *et al*
Hartley-Sharpe C *et al.* What will be the extra cost of improving ambulance response times to meet the new performance standards in London?: *abstract*, **680**
Hartman AM *see* Teikari JM *et al*
Harvey I *see* Daker-White G *et al*
see Somerset M *et al*
Harvey IM *see* Peters TJ *et al*
Haukka J *see* Teikari JM *et al*
Hawthorne V *see* Smith GD *et al*
see Smith GD *et al*
Hawtin P *see* Danesh J *et al*
Hawton K *et al.* Relation between attempted suicide and suicide rates among young people in Europe, **191**
Hedley AJ *see* Peters J *et al*
see Wong CM *et al*
Hein HO *see* Prescott E *et al*
Heinonen O *see* Teikari JM *et al*
Heitmann BL *see* Osler M and Heitmann BL
Helmert U *see* Cavelaars AEJM *et al*
Hemingway H *see* Stafford M *et al*
Hemingway H *et al.* The appropriateness and urgency of coronary angiography: the ACRE study: *abstract*, **691**
Henderson IS *see* Ramsay CR *et al*
Henderson J *see* Baker D *et al*
Henderson L *see* Lamping DL *et al*
Hendriks JHCL *see* van Gils CH *et al*
Heuch I *see* Jacobsen BK *et al*
Hilder L, Alberman E. Monitoring fetal and infant survival using regional birth notification data in north east London, **253**
Hilderink HBM *see* Wildhagen MF *et al*
Hill WY *see* Cotton P *et al*
Hilton E *see* Banks E *et al*
Ho SC *see* Woo J *et al*
Hole D *see* Montazeri A *et al*
see Smith GD *et al*
see Smith GD *et al*
Holland R *see* van Gils CH *et al*
Holland WW, Stewart S. Public health: where should we be in 10 years?: *editorial*, **278**
Holman CDJ *see* Brameld KJ *et al*
Hoopmann M *see* Schlaud M *et al*
Hope S *see* Power C *et al*
Hope S *et al.* Alcohol consumption and marital status in a national longitudinal study: *abstract*, **692**
Hopper CD *et al.* Unmet need for eye care services in the elderly: the barrier of cost?: *abstract*, **680**
Howie PW *see* Williams FLR *et al*
Hughes C *see* Elwood PC and Hughes C
Hughes K *see* Tsakok AD and Hughes K
Hughes K, Ong C-N. Vitamins, selenium, iron, and coronary heart disease risk in Indians, Malays, and Chinese in Singapore, **181**
Hultén A *see* Hawton K *et al*
Hunt K *see* Emslie C *et al*
see Macintyre S *et al*
Hunter DJ. Public health management: *editorial*, **342**
Hutchinson A *see* McNamee P *et al*
Hyder AA, Khan OA. HIV/AIDS in Pakistan: the context and magnitude of an emerging threat, **579**

Interval Cancer Working Group *see* Moss S *et al*
Ioannidis P *see* Dontas AS *et al*
Irons R *see* Coleman P *et al*

Jacobs A *see* West RR *et al*
Jacobsen BK *et al.* Reproductive factors and fatal hip fractures. A Norwegian prospective study of 63 000 women, **645**
Jameson-Shortall E *see* Dawson J *et al*
Jamison J *et al.* A model to predict utilisation of elective surgery and outpatient services at small area level: *abstract*, **681**
Janus ED *see* Woo J *et al*
Järvinen P *see* Teikari JM *et al*
Jefferson T, Demicheli V. No evidence that vaccines cause insulin dependent diabetes mellitus, **674**
Jefferson T *et al.* Evidence-based vaccinology: The work of the Cochrane Vaccines Field, **207**
Jeffrey N *see* Neal KR *et al*
Job K *see* Neal KR *et al*
Johansson S-E *see* Pudaric S *et al*
Johnson A *see* Alderdice F *et al*
Johnson AE *et al.* Food safety knowledge and practice among elderly people living at home, **745**
Johnston M *see* Orbell S *et al*
see Walker AE *et al*
Jones C *see* Addington-Hall J *et al*
Jones DA, West RR. Health of spouses of patients with myocardial infarction offered rehabilitation: a randomised controlled trial: *abstract*, **691**
Jones S *see* Ellis SJ *et al*
José *see* Falcão IM *et al*
Joshi H *see* Sloggett A and Joshi H
Jousilahti P *see* Vartiainen E *et al*

Kammerling M *see* Daker-White G *et al*
Kane R, Wellings K. Teenage conceptions in Europe: an international review of prevalence and associated factors: *abstract*, **688**
Kant S *see* Anand K *et al*
Kapoor SK *see* Anand K *et al*
Karlsen S *see* Addington-Hall J *et al*
Kate LPT *see* Wildhagen MF *et al*
Kay CR *see* Owen-Smith V *et al*
Kelleher C *et al.* Incidence and occupational pattern of leukaemias, lymphomas, and testicular tumours in Western Ireland over an 11 year period, **651**
Kennedy LG *see* Brookes ST *et al*
Kerkhof A *see* Hawton K *et al*
Khan IH *see* Ramsay CR *et al*
Khan OA *see* Hyder AA and Khan OA
Killoran A *see* Malbon G *et al*
King M *see* Taylor FC *et al*
Klein L *see* Eames MA and Klein L
Klein-Lange M *see* Busse R *et al*
Knoll A *see* Raum E *et al*
Knottnerus JA *see* van der Weijden T *et al*
Knox EG, Gilman EA. Migration patterns of children with cancer in Britain, **716**
Koene R *see* Ramsay CR *et al*
Kogevinas M. The loss of the population approach puts epidemiology at risk: *commentary*, **615**
Kohli HS *see* Gordon DS and Kohli HS
Koivusilta L *et al.* Health related lifestyle in adolescence predicts adult educational level: a longitudinal study from Finland, **794**
Kooij L *see* Wildhagen MF *et al*
Kornitzer M *see* de Henauw S *et al*
Koskinen S *see* Vartiainen E *et al*
Kovats RS *see* Rooney C *et al*
Krauth C *see* Busse R *et al*
Kristiansen IS *see* Aaraas I *et al*
Kuh D *see* Hardy R *et al*
Kuh D *et al.* Use of hormone replacement therapy among midlife baby boomers: *abstract*, **689**
Kuller LH *see* Markovic N *et al*
Kumar G *see* Anand K *et al*

Kunst AE *see* Cavelaars AEJM *et al*
Kurtz K *see* Raum E *et al*
Kvåle G *see* Jacobsen BK *et al*

Lam TH *see* Peters J *et al*
see Wong CM *et al*
see Woo J *et al*
Lambert MF, Young PJ. The admissions ward: does it help in managing emergency admissions?: *abstract*, **690**
Lamping DL *et al.* The "elderly" on renal replacement therapy—how well do they fare?: *abstract*, **685**
Landre M-F *see* Niedhamme: I *et al*
Lang T. The new globalisation, food and health: is public health receiving its due emphasis?: *editorial*, **538**
Lang T *et al.* Is hospital care involved in inequalities in coronary heart disease mortality? Results from the French WHO-MONICA Project in men aged 30–64, **665**
Lanti M *see* Seccareccia F *et al*
Laporte J-D *see* Etter J-F *et al*
Larue D *see* Bovet P *et al*
Law MR, Morris JK. Why is mortality higher in poorer areas and in more northern areas of England and Wales?, **344**
Law S *see* Gabbay J *et al*
Laway BA *see* Zargar AH *et al*
Leclerc A *see* Niedhammer I *et al*
Lee B *see* Ashton J and Lee B
Lee PN, Forey BA. Trends in cigarette consumption cannot fully explain trends in British lung cancer rates, **82**
Lee W-C *see* Chen L-M *et al*
Leng GC *et al.* Does open cast coal mining increase respiratory disease?: *abstract*, **676**
Leon D *see* Chenet L *et al*
see Clarke R *et al*
le Pen C *et al.* "Specific" scale compared with "generic" scale: a double measurement of the quality of life in a French community sample of obese subjects, **445**
Leung SSF *see* Woo J *et al*
Lever A *see* Sweeting H *et al*
Lévy E *see* le Pen C *et al*
Lewis G *see* Weich S and Lewis G
Lewsey J *et al.* Can routine data be used in conjunction with randomised controlled trials to evaluate the introduction of new technologies?: *abstract*, **697**
Leyland AH *see* Baillie H *et al*
see Lewsey J *et al*
Leyland AH, McLeod A. The use of cause specific SMRs for resource allocation: *abstract*, **693**
Lahelma E *see* Cavelaars AEJM *et al*
Li L *see* Diguiseppi C *et al*
Lilford RJ *see* Gilthorpe MS and Lilford RJ
Lilley JM *see* Johnson AE *et al*
Lindholm L *et al.* How many lives is equity worth? A proposal for equity adjusted years of life saved, **808**
Lindström K *see* Persson L-G *et al*
Lingfors H *see* Persson L-G *et al*
Lissner L *see* Persson L-G *et al*
Liu J *see* Wong CM *et al*
Llewellyn LJ *et al.* Use of sequential case-control studies to investigate a community salmonella outbreak in Wales, **272**
Llorca J *et al.* Age differential mortality in Spain, 1900–1991, **259**
Locock L *see* Gabbay J *et al*
Logan RFA *see* Reaveley AM *et al*
Lomas P *see* Whitley E *et al*
Looman CWN *see* van de Mheen H *et al*
Loos F *see* le Pen C *et al*
Lopatatzidis T *see* Somerset M *et al*
Low RA *see* Moore MR *et al*
Luff D, Thomas KJ. Complementary therapy provision in primary care: the benefits and problems of integration: *abstract*, **700**
Lundberg O *see* Cavelaars AEJM *et al*

McCabe C *see* Pickin DM *et al*
McCabe CJ *see* Peters J *et al*
McCarthy M *see* Addington-Hall J *et al*
McClinton S *see* Thomas RE *et al*
McCloskey B *see* Fone DL *et al*
McColl A *et al.* Prioritising primary care group interventions: an evidence-based approach: *abstract*, **676**
McConachie A *see* Thomson H *et al*
McConnachie A *see* O'Donnell CA *et al*
MacDonagh-White C *see* Kelleher C *et al*
McDonald JC *see* Harris JM *et al*
MacDorman MF, Singh GK. Midwifery care, social and medical risk factors, and birth outcomes in the USA, **310**
McEwen J *see* Montazeri A *et al*
Macfarlane A *see* Alderdice F *et al*
MacHale E *see* Kelleher C *et al*
Macià F *see* Porta *et al*
Macintyre S *see* Emslie C *et al*
see Sweeting H *et al*
Macintyre S *et al.* Do housing tenure and car access predict health because they are simply markers of income or self esteem? A Scottish study, **657**
McKee M *see* Chenet L *et al*
see Mossialos E *et al*
Mackenbach JP *see* Stronks K *et al*
see van de Mheen H *et al*
see Verheij RA *et al*
Mackenbach JP. Multilevel ecoepidemiology and parsimony: *commentary*, **614**
Mackenbach JP *see* Cavelaars AEJM *et al*
MacKinnon P *see* Smith GD *et al*
Mackway-Jones K *see* Carley S *et al*
Macleod A *see* Ramsay CR *et al*
McLeod A *see* Baillie H *et al*
see Leyland AH and McLeod A
Macleod U *et al.* A comparison of the care received from primary and secondary care by women with breast cancer living in affluent and deprived areas: *abstract*, **687**
McMichael AJ *see* Rooney C *et al*
McNamee P *et al.* Measuring outpatient resource use and case mix in ophthalmology in north east England, **247**
McPherson K. Wider "causal thinking in the health sciences": *commentary*, **612**
McPherson K, Britton A. Are randomised controlled trials controlled? Patient preferences and catch 22!: *abstract*, **677**
Madeley RJ *see* Neal KR *et al*
Madhok R *see* Bhopal R *et al*
Magee P *see* Hemingway H *et al*
Maguire M *see* Elford J *et al*
Malats N *see* Porta *et al*
Malbon G *et al.* Achievements of Total Purchasing Pilot projects: lessons for developing Primary Care Groups in England: *abstract*, **686**
Mallinson S. The Short-Form 36 and older people: some problems encountered when using postal administration, **324**
Manson-Siddle CJ, Robinson MB. *Super Profile* analysis of socioeconomic variations in coronary investigation and revascularisation rates, **507**
Marazzi A *see* Paccaud F *et al*
Markovic N *et al.* John Henryism and blood pressure among Nigerian civil servants, **186**
Marmot M *see* Clarke R *et al*
see Stafford M *et al*
Marrugat J *see* Masiá R *et al*
Marshall B *see* Blondel B and Marshall B
Marshall E *see* Ellis SJ *et al*
Marteau TM *see* Welton AJ *et al*
Martineau A, White M. What's not in a name. The accuracy of using names to ascribe religious and geographical origin in a British population, **336**
Masiá R *et al.* High prevalence of cardiovascular risk factors in Gerona, Spain, a province with low myocardial infarction incidence, **707**
Masoodi SR *see* Zargar AH *et al*
Matheson J *see* Cavelaars AEJM *et al*
Maxwell RJ. Our healthier nation: alpha for presentation, beta minus for deliverability: *editorial*, **474**
Mayberry JF *see* Hart AR *et al*
Mays N *see* Malbon G *et al*
Meade TW *see* Welton AJ *et al*
Meirik O *see* Farley TMM *et al*
Meirik O *et al.* Relation between induced abortion and breast cancer: *letter*, **209**
Melbye H *see* Aaraas I *et al*
Melville A. Should there be routine follow up after treatment for cancer?: *abstract*, **688**
Melville M *et al.* Factors associated with the uptake of a hospital based cardiac rehabilitation programme: *abstract*, **691**
Menotti A *see* Dontas AS *et al*
see Seccareccia F *et al*
Merriman B *see* Jamison J *et al*
see O'Reilly D *et al*
see O'Reilly D *et al*
Meulmeester JF *see* der Wekke JS *et al*
Michel K *see* Hawton K *et al*
Mielck A *see* Cavelaars AEJM *et al*
Miles J *see* Whitley E *et al*
Mili J *see* Paccaud F *et al*
Milne R *see* Robert G *et al*
Milne RM *et al.* Audit of populations in general practice: the creation of a national resource for the study of morbidity in Scottish general practice, **20S**
Milroy R *see* Montazeri A *et al*
Mitchell K, Wellings K. Ambiguity and ambivalence in sexual encounters: barriers to condom use?: *abstract*, **678**
Mizrahi A *see* Cavelaars AEJM *et al*
Mizrahi A *see* Cavelaars AEJM *et al*
Moffat K *see* O'Donnell CA *et al*
Molesworth A *see* Rogers PA *et al*
Mollison J *see* Thomas RE *et al*

Montaye M *see* Lang T *et al*
Montazeri A *et al.* Anxiety and depression in patients with lung cancer before and after diagnosis: findings from a population in Glasgow, Scotland, **203**
Montgomery AA, Fahey T. A systematic review of the use of computers in the management of hypertension, **520**
Moore M *see* McColl A *et al*
Moore MR *et al.* Decline of maternal blood lead concentrations in Glasgow, **672**
Morabia A. Epidemiology and bacteriology in 1900: who is the handmaid of whom?: *commentary*, **617**
Morell E *see* Porta *et al*
Morgan A *see* Morrell CJ *et al*
Morgan K *see* Johnson AE *et al*
Morrell CJ *et al.* Cost effectiveness of postnatal social support: *abstract*, **679**
Morris AD *see* Evans JMM *et al*
Morris JK *see* Law MR and Morris JK
Morrison A, Stone DH. Child injury mortality in the European Union: *abstract*, **688**
Morrison J *et al.* Development and evaluation of guidelines for the management of infertility across the primary-secondary care interface: *abstract*, **696**
Morton-Jones A *see* Diggle PJ *et al*
Moss S *et al.* Calculating appropriate target cancer detection rates and expected interval cancer rates for the UK NHS Breast Screening Programme, **111**
Mossialos E *et al.* A new chapter in public health: Britain's changing relationship with the European Union: *editorial*, **606**
Muir J *see* Danesh J *et al*
Murphy M *see* Danesh J *et al*
Murray D *see* Dawson J *et al*
Murray GD *see* Lewsey J *et al*
see Moore MR *et al*
Murray L *see* Foy R *et al*

Naidoo B, Chambers J. Using the PREVENT model in Birmingham: *abstract*, **683**
Nanchahal K *see* Ashton WD *et al*
see Gunnell DJ *et al*
see Gunnell DJ *et al*
Neal D *see* Boniface DR *et al*
see Brookes ST *et al*
Neal KR *et al.* Rapid large increase in meningococcal carriage rates in first year university students: an explanation for the increased risk of invasive meningococcal disease seen in university students: *abstract*, **688**
Neale RJ *see* Johnson AE *et al*
Neaton JD *see* Ben-Shlomo Y *et al*
Nelson I *see* Daker-White G *et al*
Nelson SJ *see* Bachmann MO and Nelson SJ
Newell J *see* Kelleher C *et al*
Ng'andu N *see* Ransjö-Arvidson AB *et al*
Nguyen-Van-Tam JS *see* Bradley MP *et al*
see Neal KR *et al*
see Reaveley AM *et al*
Nhiwatiwa S *et al.* Predicting postnatal mental disorder with a screening questionnaire: a prospective cohort study from Zimbabwe, **262**
Nicholl JP *see* Coleman P *et al*
Niedhammer I *et al.* Psychosocial work environment and cardiovascular risk factors in an occupational cohort in France, **93**
Nilssen S *see* Jacobsen BK *et al*
North K *see* Baker D *et al*
NTDS Group *see* Lamping DL *et al*

O'Donnell CA *et al.* Social variation in out of hours primary care: *abstract*, **694**
Ogston SA *see* Williams FLR *et al*
Okolocha C *et al.* Socio-cultural factors in maternal morbidity and mortality: a study of a semi-urban community in southern Nigeria, **293**
Olsen N *see* Mossialos E *et al*
Olumeko P *see* Okolocha C *et al*
Ong C-N *see* Hughes K and Ong C-N
Ong SG *see* Wong CM *et al*
Orbell S *et al.* Health benefits of joint replacement surgery for patients with osteoarthritis: prospective evaluation using independent assessments in Scotland, **564**
O'Reilly D *see* Jamison J *et al*
O'Reilly D, Steele K. General practice deprivation payments: are rural practices disadvantaged?, **530**
O'Reilly D *et al.* An evaluation of the additional health question proposed for inclusion in the 2001 census: *abstract*, **698**
Removal of patients from general practitioners lists in Northern Ireland, an example of adverse selection?: *abstract*, **700**
Osler M *see* Prescott E *et al*
Osler M, Heitmann BL. Food patterns, flour fortification, and intakes of calcium and vitamin D: a longitudinal study of Danish adults, **161**
Ostamo A *see* Hawton K *et al*
Otten JDM *see* van Gils CH *et al*
Owen-Smith V *et al.* Effects of changes in smoking status on risk estimates for myocardial infarction among women recruited for the Royal College of General Practitioners' Oral Contraception Study in the UK, **420**

Paccaud F *see* Bovet P *et al*
Paccaud F *et al.* Age at death and rectangularisation of the survival curve: trends in Switzerland, 1969–1994, **412**
Packham C *see* Melville M *et al*
Page RM *see* Johnson AE *et al*
Palmer SR *see* Llewellyn LJ *et al*
see Thomas DRh *et al*
Pannett B *see* Fear NT *et al*
Papadimitrou M *see* Ramsay CR *et al*
Parish S *see* Clarke R *et al*
Parker L *see* Diggle PJ *et al*
Parker L, Dickinson H. Is population mixing a cause of childhood ALL and NHL?: *abstract*, **684**
Parkin D *see* McNamee P *et al*
see Robinson A *et al*
Parry JM *see* Foy R *et al*
Pasarin I *see* Rohlfs I *et al*
Patel NB *see* Williams FLR *et al*
Patel V *see* Nhiwatiwa S *et al*
Pattenden S *et al.* Inequalities in low birthweight: parental social class, area deprivation, and lone mother status: *abstract*, **679**
Pavesi M *see* Masiá R *et al*
Paxião MT *see* Falcão IM *et al*
Payne JN, Saul C. Use of health services in patients with symptoms of dyspepsia: *abstract*, **696**
Payne N *see* Pickin DM *et al*
Pearson J *see* Neal KR *et al*
Pearson JCG *see* Bradley MP *et al*
Pekkanen J *see* Vartiainen E *et al*
Pemberton J *see* Gunnell DJ *et al*
Pena A *see* Masiá R *et al*
Perneger TV *see* Etter J-F and Perneger TV
see Etter J-F *et al*
Persson L-G *et al.* Cardiovascular risk during early adult life. Risk markers among participants in "Live for Life" health promotion programme in Sweden, **425**
Peter R *et al.* High effort, low reward, and cardiovascular risk factors in employed Swedish men and women: baseline results from the WOLF Study, **540**
Peters J *see* Wong CM *et al*
Peters J *et al.* Economic burden of environmental tobacco smoke on Hong Kong families: scale and impact, **53**
Peters TJ *see* Brookes ST *et al*
see Gunnell DJ *et al*
see Gunnell DJ *et al*
see Hopper CD *et al*
see Somerset M *et al*
Peters TJ *et al.* Does requesting sensitive information on postal questionnaires have an impact on response rates? A randomised controlled trial in the south west of England, **130**
Effect of varying the time frame for COOP-WONCA functional health status charts: a nested randomised controlled trial in Bristol, UK, **59**
Petridou E. Person, time, and place predictors of seat belt use in Athens, Greece, **534**
Petty T *see* Alderdice F *et al*
Philalithis AE *see* Vlachonikolis IG *et al*
Philippe A *see* Hawton K *et al*
Philpott S *see* Hemingway H *et al*
Pickin DM *et al.* Cost effectiveness of interventions to reduce mortality from coronary heart disease: *abstract*, **682**
Pinto CS *see* Paccaud F *et al*
Plasència A *see* Rohlfs I *et al*
Pollock AM *see* Gaffney D and Pollock AM
Pollock AM, Vickers N. Trends in colorectal cancer care in southern England, 1989–1993: using HES data to inform cancer services reviews, **433**
Poole C, Rothman KJ. Our conscientious objection to the epidemiology wars: *commentary*, **613**
Popay AG *see* Bennett S *et al*
Popay J, Williams G. Partnership in health: beyond the rhetoric: *editorial*, **410**
Porta *et al.* Decreased survival of patients with lung cancer admitted to a teaching hospital through the emergency department in Barcelona, Spain, **137**
Porta M, Alvarez-Dardet C. Epidemiology: bridges over (and across) roaring levels : *editorial*, **605**
Poulter NR *see* Farley TMM *et al*
Power C *see* Hope S *et al*
Power C *et al.* U shaped relation for alcohol consumption and health in early adulthood: implications for mortality: *abstract*, **692**
Pratt M *see* Jefferson T *et al*
Prescott E *et al.* Life expectancy in Danish women and men related to smoking habits: smoking may affect women more, **131**
Prieto MD *see* Llorca J *et al*

Pringle M *et al.* Avoidable admissions: margins for change: *abstract*, **690**
Prins A *see* Bruijnzeels MA *et al*
Pudaric S *et al.* Impaired mobility and impaired working capacity among foreign born people and native born Swedes, **34**
Puska P *see* Vartiainen E *et al*

Querejeta I *see* Hawton K *et al*
Quilty B *see* Campbell R *et al*

Radder JJ *see* der Wekke JS *et al*
Rahlenbeck SI *see* Tabaku A *et al*
Ramsay CR *et al.* Introduction of clinical guidelines for the management of end stage renal disease: an evaluation across six European centres: *abstract*, **685**
Ransjö-Arvidson AB *et al.* Maternal and infant health problems after normal childbirth: a randomised controlled study in Zambia, **385**
Rasmussen NK *see* Cavelaars AEJM *et al*
Raum E *et al.* Contamination of human breast milk with organochlorine residues: a comparison between East and West Germany through sentinel practice networks, **50S**
Rautalahti M *see* Teikari JM *et al*
Reaveley AM *et al.* Who dies from hernia?, **532**
Reeves G *see* Fear NT *et al*
see Whitley E *et al*
Regidor E *see* Cavelaars AEJM *et al*
Reijneveld SA. Reported health, lifestyles, and use of health care of first generation immigrants in the Netherlands: do socioeconomic factors explain their adverse position?, **298**
Reijneveld SA, Schene AH. Higher prevalence of mental disorders in socioeconomically deprived urban areas in the Netherlands: community or personal disadvantage?, **2**
Repper J *see* Thomas RE *et al*
Richards SH *see* Peters TJ *et al*
Richardson A *see* Banks E *et al*
RIFLE Research Group *see* Seccareccia F *et al*
Rimpelä A *see* Koivusilta L *et al*
Rimpelä M *see* Koivusilta L *et al*
Ritz E *see* Ramsay CR *et al*
Robert G *et al.* Positron emission tomography (PET)—setting health technology assessment (HTA) research priorities in the United Kingdom: *abstract*, **698**
Roberts I *see* Diguiseppi C *et al*
Robertson SJ *see* Moore MR *et al*
Robinson A *et al.* The impact of stroke and warfarin therapy on the quality of life of patients in atrial fibrillation: use of the standard gamble method: *abstract*, **690**
Robinson MB *see* Manson-Siddle CJ and Robinson MB
Robra B-P *see* Raum E *et al*
Roderick P *see* Drey N *et al*
see Lamping DL *et al*
see McColl A *et al*
Roderick PJ *see* Davies RM *et al*
Rodgers B *see* Hope S *et al*
see Power C *et al*
Rodríguez-Artalejo F *see* Barrio G *et al*
Rogers PA *et al.* AIDS survival in UK male homosexuals diagnosed up to 1995: *abstract*, **678**
Rogerson M *see* Drey N *et al*
Rohlfs I *et al.* Social inequalities and realisation of opportunistic screening mammographies in Barcelona (Spain), **205**
Roman E *see* Fear NT *et al*
Rooney C *et al.* Excess mortality in England and Wales, and in Greater London, during the 1995 heatwave, **482**
Rosdahl N *see* Alvarez-Dardet C and Rosdahl N
Rosén M *see* Lindholm L *et al*
Ross S *see* Macleod U *et al*
see O'Donnell CA *et al*
see Thomson H *et al*
Rothera I *see* Pringle M *et al*
Rothman KJ *see* Poole C and Rothman KJ
Rouse IL *see* Brameld KJ *et al*
Rowley D *see* Orbell S *et al*
Royuela L *see* Barrio G *et al*
Rudd AG *see* Beech R *et al*
Ruidavets JB *see* Lang T *et al*
Rushton L *see* Donnan A and Rushton L
Ruta DA. Relative and attributable risk: what do they really tell you?: *abstract*, **676**
Ryan AP *see* Schluter PJ *et al*

Sacker A, Bartley M. Pathways from social position to ill health in women: *abstract*, **689**
Sadler M *see* Friedman GD *et al*
Sala J *see* Masiá R *et al*
Salander-Renberg E *see* Hawton K *et al*
Salem N *see* Dean K and Salem N
Salmon RL *see* Thomas DRh *et al*
Salomaa V *see* Vartiainen E *et al*
Sampson F *see* Pickin DM *et al*
Santos AS *see* Falcão IM *et al*
Saul C *see* Payne JN and Saul C
Saunders JA. The use of weighted census based deprivation indices to measure the extent of deprivation in GP practice populations: *abstract*, **694**
Scanga M *see* Seccareccia F *et al*
Schalud M *see* Raum E *et al*
Schene AH *see* Reijneveld SA and Schene AH
Schlaud M *et al.* Approaches to the denominator in practice-based epidemiology: a critical overview, **13S**
Schluter PJ *et al.* Weather temperatures and sudden infant death syndrome: a regional study over 22 years in New Zealand, **27**
Schmidtke A *see* Hawton K *et al*
Schnohr P *see* Prescott E *et al*
Schouten J *see* de Walle HEK *et al*
Schulpen TWJ *see* van Enk A *et al*
Schwartländer B *see* Siedler A *et al*
Schwartz FW *see* Raum E *et al*
see Schlaud M *et al*
Schwartzs FW *see* Busse R *et al*
Scott JES *see* Vrijheid M *et al*
Scott-Samuel A. Health impact assessment—theory into practice: *editorial*, **704**
Seccareccia F *see* Dontas AS *et al*
Seccareccia F *et al.* Role of body mass index in the prediction of all cause mortality in over 62 000 men and women. The Italian RIFLE Pooling Project, **20**
Seddon MY *see* Capewell S *et al*
Seidler A *see* Raum E *et al*
Sepai O *see* Wilson D *et al*
Severs WB *see* Meirik O *et al*
Shams M *see* Williams R and Shams M
Sharp D *see* Somerset M *et al*
see Taylor FC *et al*
Shaw A *see* Somerset M *et al*
Sheffield D *see* Carroll D *et al*
Sheldon TA *see* Pickin DM *et al*
Shen M-H *see* Chen L-M *et al*
Sherliker P *see* Clarke R *et al*
Sherr L *see* Elford J *et al*
Shipley M *see* Clarke R *et al*
Shkolnikov V *see* Chenet L *et al*
Shouls S *et al.* The health of lone mothers in Britain over the last two decades: the role of social policy: *abstract*, **698**
Shryane E *see* Kelleher C *et al*
Sidney S *see* Friedman GD *et al*
Siedler A *et al.* Anonymous unlinked testing as a sentinel approach: experience in Germany, **25S**
Siegrist J *see* Peter R *et al*
Silburn R *see* Johnson AE *et al*
Silcocks P *see* Whitley E *et al*
Simmonds M *see* Banks E *et al*
Simonato L *et al.* Avoidable mortality in Europe 1955–1994: a plea for prevention, **624**
Singh GK *see* MacDorman MF and Singh GK
Sinka K *see* Rogers PA *et al*
Skinner A *see* Boniface DR *et al*
Slack RCB *see* Neal KR *et al*
Sloggett A, Joshi H. Deprivation indicators as predictors of life events 1981–1992 based on the UK ONS longitudinal study, **228**
Smeeth L *see* Ebrahim S and Smeeth L
Smith GD *see* Ben-Shlomo Y *et al*
see Carroll D *et al*
see de Mheen PJM *et al*
see Egger M and Smith GD
see Gunnell DJ *et al*
see Gunnell DJ *et al*
Smith GD, Egger M. Lancelot Hogben on speed: the forgotten history of the n-of-1 trial: *abstract*, **697**
Smith GD *et al.* Education and occupational social class: which is the more important indicator of mortality risk?, **153**
Individual social class, area-based deprivation, cardiovascular disease risk factors, and mortality: the Renfrew and Paisley study, **399**
Smith H *see* McColl A *et al*
Smith M *see* Robert G *et al*
Smith P *see* Dawson J *et al*
Snooks H *see* Hartley-Sharpe C *et al*
Snowdon C *et al.* Zelen's suggestion of post-randomisation consent for clinical trials: the views of parents in a conventional neonatal trial: *abstract*, **677**
Sofi BA *see* Zargar AH *et al*
Somerset M *et al.* The primary-secondary care interface: factors associated with referral back to primary care: *abstract*, **700**
Spanish Group for the Study on the Route of Administration of Drugs *see* Barrio G *et al*
Sparrow JM *see* Hopper CD *et al*
Spiby H *see* Morrell CJ *et al*
Spiegelhalter DJ *see* Wong CM *et al*
Spuhler T *see* Cavelaars AEJM *et al*
Stafford DA *see* West RR *et al*

Stafford M *et al.* Behavioural and biological correlates of physical functioning in middle aged office workers: the UK Whitehall II study, **353**
Stalman W *see* Hak E *et al*
Stansfeld S *see* Emslie C *et al*
Stansfeld SA *see* Gallacher JEJ *et al*
see Stafford M *et al*
Steele K *see* O'Reilly D and Steele K
see O'Reilly D *et al*
Steen N *see* McNamee P *et al*
Stevenson M *see* Jamison J *et al*
see O'Reilly D *et al*
Stevenson S *et al.* Air pollution and asthma consultations in 59 general practices throughout England and Wales: *abstract*, **684**
Stewart P *see* Morrell CJ *et al*
Stewart S *see* Holland WW and Stewart S
Stoffers HEJH *see* van der Weijden T *et al*
Stone D *see* Vrijheid M *et al*
Stone DH *see* Morrison A and Stone DH
Strachan DP *see* Crowcroft NS *et al*
Stronks K *see* van de Mheen H *et al*
Stronks K *et al.* A higher prevalence of health problems in low income groups: does it reflect relative deprivation?, **548**
Sudlow M *see* Robinson A *et al*
Summy-Long J *see* Meirik O *et al*
Sun C-A *see* Chen L-M *et al*
Sundquist J *see* Pudaric S *et al*
Susser M. Does risk factor epidemiology put epidemiology at risk? Peering into the future, **608**
Susu B *see* Ransjö-Arvidson AB *et al*
Sutton S. How ordinary people in Great Britain perceive the health risks of smoking, **338**
Sweeting H *et al.* Correlates of blood pressure at age 18 in a cohort of Scottish adolescents, **133**
Sweetnam PM *see* Carroll D *et al*
see Gallacher JEJ *et al*

Tabaku A *et al.* Biological monitoring of lead exposure in high risk groups in Berat, Albania, **234**
Tabar L *see* Chen HH *et al*
Tam AYC *see* Wong CM *et al*
Taylor AH *et al.* Randomised controlled trial to examine the effects of a GP exercise referral programme in Hailsham, East Sussex,on modifiable coronary heart disease risk factors, **595**
Taylor FC *et al.* Recruitment of general practitioners to a randomised trial within the "new" NHS: no clear panacea: *abstract*, **699**
Taylor H *see* Baker D *et al*
Taylor MW *see* Milne RM *et al*
Taylor RJ *see* Milne RM *et al*
Team AS *see* Baker D *et al*
Teikari JM *et al.* Incidence of cataract operations in Finnish male smokers unaffected by α tocopherol or β carotene supplements, **468**
Tekawa IS *see* Friedman GD *et al*
Temesváry B *see* Hawton K *et al*
Tempest Trial Group *see* Walker AE *et al*
Thakrar B *see* Whitley E *et al*
The ALSPAC Study Team *see* Baker D *et al*
Theorell T *see* Peter R *et al*
Thomas C *see* Bennett S *et al*
Thomas DRh *et al.* Surveillance of influenza in Wales: interpreting sentinel general practice rates using contemporaneous laboratory data. Opportunities and limitations, **28S**
Thomas E *see* Cade J *et al*
Thomas KJ *see* Luff D and Thomas KJ
Thomas RE *et al.* URGE: An evaluation of a guideline based open access urological investigation service: *abstract*, **681**
Thomson H *et al.* Health Service use in the first six months of life: the effect of Baby Check and social variation: *abstract*, **679**
Thomson R *see* Robinson A *et al*
Thurfjell E *see* Chen HH *et al*
Tijmstra T *see* Wildhagen MF *et al*
Tilling K *see* Beech R *et al*
Timmis A *see* Hemingway H *et al*
Tindall VR *see* Williams FLR *et al*
Tsakiris D *see* Ramsay CR *et al*
Tsakok AD, Hughes K. Public health surveys in Singapore: *letter*, **764**
Tucker M *see* Campbell R *et al*
Twaddle S *see* Morrison J *et al*
Twelves CJ *see* Macleod U *et al*

Ukoli FAM *see* Markovic N *et al*
Unuigbe J *see* Okolocha C *et al*
Uphoff H. A study of reasons for an increase in acute respiratory tract infections reported by influenza sentinel practices in Germany, **43S**

Vail A *see* Cade J *et al*
Valleron A-J *see* Carrat F *et al*
see Chauvin P and Valleron A-J
van de Lisdonk EH *see* de Grauw WJC *et al*
van de Mheen HD *see* Stronks K *et al*
see Verheij RA *et al*
van de Mheen H *et al.* Role of childhood health in the explanation of socioeconomic inequalities in early adult health, **15**
van den Brandt PA *see* van Loon AJM *et al*
van den Heuvel WJA *see* Bruijnzeels MA *et al*
van den Hoogen HJM *see* de Grauw WJC *et al*
van der Maas PJ *see* Bonneux L *et al*
van der Pal KM *see* de Walle HEK *et al*
see van Enk A *et al*
van der Weijden T *et al.* Economic evaluation of cholesterol-related interventions in general practice. An appraisal of the evidence, **586**
van der Wouden JC *see* Bruijnzeels MA *et al*
van Enk A *et al.* Perinatal death in ethnic minorities in the Netherlands, **735**
van Enk WJJ *see* van Enk A *et al*
van Essen GA *see* Hak E *et al*
van Gerwen WHEM *see* de Grauw WJC *et al*
van Gils CH *et al.* Effect of mammographic breast density on breast cancer screening performance: a study in Nijmegen, the Netherlands, **267**
van Hamersvelt H *see* Ramsay CR *et al*
van Loon AJM *et al.* Socioeconomic status and stomach cancer incidence in men: results from the Netherlands Cohort Study, **166**
van Weel C *see* de Grauw WJC *et al*
Vartiainen E *et al.* Do changes in cardiovascular risk factors explain the increasing socioeconomic difference in mortality from ischaemic heart disease in Finland?, **416**
Vassin S *see* Chenet L *et al*
Verbeek ALM *see* van Gils CH *et al*
Verheij JBGM *see* Wildhagen MF *et al*
Verheij RA *et al.* Urban-rural variations in health in the Netherlands: does selective migration play a part?, **487**
Verloove-Vanhorick SP *see* der Wekke JS *et al*
Verzijl JG *see* Wildhagen MF *et al*
Vestbo J *see* Prescott E *et al*
Vicary M *see* Hartley-Sharpe C *et al*
Vickers MR *see* Welton AJ *et al*
Vickers N *see* Pollock AM and Vickers N
Vila J *see* Masiá R *et al*
Vineis P. Epidemiology between social and natural sciences: *commentary*, **616**
Virtamo J *see* Teikari JM *et al*
Vivian G *see* Robert G *et al*
Vlachonikolis IG *et al.* Mortality from malignant neoplasms in Crete, 1992–1993, **126**
Voutilainen ET *see* Dickman PW *et al*
Vrijheid M *see* Pattenden S *et al*
Vrijheid M *et al.* Socioeconomic variation in prevalence of congenital anomalies: *abstract*, **679**
Vyse A *see* Crowcroft NS *et al*

Wadsworth M *see* Hardy R *et al*
Wagner HP *see* Busse R *et al*
Wakeford R *see* Diggle PJ *et al*
Wale MCJ *see* Neal KR *et al*
Walker AE *et al.* When do clinicians follow guidelines? Using the theory of planned behaviour to predict intentions to prescribe prophylaxis for patients at risk of deep vein thrombosis (DVT): *abstract*, **681**
Walker L *see* Addington-Hall J *et al*
Walters S *see* Morrell CJ *et al*
Wani AI *see* Zargar AH *et al*
Ward M *see* Danesh J *et al*
Warskyj M *see* Owen-Smith V *et al*
Wasserman D *see* Hawton K *et al*
Watson R *see* Thomson H *et al*
Watt G *see* Morrison J *et al*
see Smith GD *et al*
see Smith GD *et al*
Watt GCM *see* Macleod U *et al*
see Moore MR *et al*
Webborn N *see* Taylor AH *et al*
Weich S, Lewis G. Material standard of living, social class, and the prevalence of the common mental disorders in Great Britain, **8**
Wellings K *see* Branigan P and Wellings K
see Kane R and Wellings K
see Mitchell K and Wellings K
Welton AJ *et al.* Randomised controlled trials—is recruitment more difficult with a placebo arm?: *abstract*, **677**
Wentworth D *see* Ben-Shlomo Y *et al*
Weßling H *see* Raum E *et al*
West RR *see* Jones DA and West RR
West RR *et al.* Occupational and environmental exposure in the myelodysplastic syndromes: a case-control study: *abstract*, **684**
Westerholm P *see* Peter R *et al*
Westmoreland D *see* Thomas DRh *et al*
Weston C *see* Melville M *et al*
White M *see* Martineau A and White M

Whitehead M *see* Shouls S *et al*
Whitley E *et al.* Risk of lung cancer associated with residential radon exposure in south west England: *abstract*, **684**
Whynes D *see* Pringle M *et al*
Wildhagen MF *et al.* Costs, effects, and savings of screening for cystic fibrosis gene carriers, **459**
Wilkinson C *see* Boland A *et al*
Wilkinson P *see* Stevenson S *et al*
Willemsen G *see* Carroll D *et al*
Williams FLR *et al.* UK study of intrapartum care for low risk primigravidas: a survey of interventions, **494**
Williams G *see* Bennett S *et al*
see Popay J and Williams G
Williams JG *see* Boland A *et al*
Williams R, Shams M. Generational continuity and change in British Asian health and health behaviour, **558**
Wilson D *et al.* Should we be frightened of bracken? A review of the evidence, **812**
Wilson P *see* O'Donnell CA *et al*
see Thomson H *et al*
Windridge C *see* Ellis SJ *et al*
Winkelmann R *see* Simonato L *et al*
Wolfe CDA *see* Beech R *et al*
Wong CM *see* Peters J *et al*
Wong CM *et al.* Comparison between two districts of the effects of an air pollution intervention on bronchial responsiveness in primary school children in Hong Kong, **571**
Wong Y-K *see* Danesh J *et al*
Woo J *et al.* Dietary intake and practices in the Hong Kong Chinese population, **631**
Wood A *see* Hemingway H *et al*
Wood D *see* Ashton WD *et al*
Wood J *see* Freemantle N *et al*
Woodman CBJ *see* Foy R *et al*
Woolhead G *see* Daker-White G *et al*
Wu D-M *see* Chen L-M *et al*

Yarnell JWG *see* Gallacher JEJ *et al*
Young PJ *see* Lambert MF and Young PJ
Youngman L *see* Clarke R *et al*
Yusuf E *see* Kuh D *et al*

Zargar AH *et al.* Seroprevalence of toxoplasmosis in women with repeated abortions in Kashmir, **135**
Zatonski W. Alcohol and health: what is good for the French may not be for the Russians: *editorial*, **766**

VOLUME 52 • SUBJECT INDEX

abdominal hernia, Who dies from hernia?, **532**
abortion, Relation between induced abortion and breast cancer: *letter,* **209**
Seroprevalence of toxoplasmosis in women with repeated abortions in Kashmir , **135**
access, Effect of a transient, geographically localised economic recovery on community health and income studied with longitudinal household cohort interview method, **749**
accident and emergency department, Decreased survival of patients with lung cancer admitted to a teaching hospital through the emergency department in Barcelona, Spain, **137**
acute myocardial infarction, Is hospital care involved in inequalities in coronary heart disease mortality? Results from the French WHO-MONICA Project in men aged 30–64, **665**
adolescence, Health related lifestyle in adolescence predicts adult educational level: a longitudinal study from Finland, **794**
adolescents, Correlates of blood pressure at age 18 in a cohort of Scottish adolescents, **133**
age at death, Age at death and rectangularisation of the survival curve: trends in Switzerland, 1969–1994, **412**
aged, Hospitalisation of the elderly during the last year of life: an application of record linkage in Western Australia 1985–1994, **740**
aging, Impaired mobilty and impaired working capacity among foreign born people and native born Swedes, **34**
Relation between locomotion impairment, functional independence in retirement, and occupational strain resulting from work carried out during working life. Study of a sample population of 350 miners in the Loire valley in France, **283**
The expiry date of man: a synthesis of evolutionary biology and public health, **619**
agriculture, Incidence and occupational pattern of leukaemias, lymphomas, and testicular tumours in Western Ireland over an 11 year period, **651**
air pollution, Excess mortality in England and Wales, and in Greater London, during the 1995 heatwave, **482**
Albania, Biological monitoring of lead exposure in high risk groups in Berat, Albania, **234**
alcohol, Alcohol and health: what is good for the French may not be for the Russians: *editorial,* **766**
alcohol consumption, Blood thiamin status and determinants in the population of Seychelles (Indian Ocean), **237**
alcohol drinking, Alcohol and cardiovascular mortality in Moscow; new evidence of a causal association, **772**
anonymous unlinked testing, Anonymous unlinked testing as a sentinel approach: experience in Germany, **25S**
antenatal care, Poor antenatal care in 20 French districts: risk factors and pregnancy outcome, **501**
antioxidant, Incidence of cataract operations in Finnish male smokers unaffected by α tocopherol or β carotene supplements, **468**
anti-oxidants, Vitamins, selenium, iron, and coronary heart disease risk in Indians, Malays, and Chinese in Singapore, **181**
anxiety, Anxiety and depression in patients with lung cancer before and after diagnosis: findings from a population in Glasgow, Scotland , **203**
area-based deprivation, Individual social class, area-based deprivation, cardiovascular disease risk factors, and mortality: the Renfrew and Paisley study, **399**
atmospheric pollution, Migration patterns of children with cancer in Britain, **716**
attempted suicide, Relation between attempted suicide and suicide rates among young people in Europe, **191**
attendance, Effect on attendance at breast cancer screening of adding a self administered questionnaire to the usual invitation to breast screening in southern England, **116**

bacteriology, Epidemiology and bacteriology in 1900: who is the handmaid of whom?: *commentary,* **617**
Bayesian analysis, Clinical significance not statistical significance: a simple Bayesian alternative to p values, **318**
beriberi, Blood thiamin status and determinants in the population of Seychelles (Indian Ocean), **237**
biological monitoring, Biological monitoring of lead exposure in high risk groups in Berat, Albania, **234**
birth place, Migration patterns of children with cancer in Britain, **716**
birthweight specific, Monitoring fetal and infant survival using regional birth notification data in north east London, **253**
black box, Does risk factor epidemiology put epidemiology at risk? Peering into the future, **608**
blood pressure, Blood pressure reactions to the cold pressor test and the prediction of ischaemic heart disease: data from the Caerphilly Study , **528**
Correlates of blood pressure at age 18 in a cohort of Scottish adolescents, **133**
John Henryism and blood pressure among Nigerian civil servants, **186**
Randomised controlled trial to examine the effects of a GP exercise referral programme in Hailsham, East Sussex, on modifiable coronary heart disease risk factors, **595**
body mass index, "Specific" scale compared with "generic" scale: a double measurement of the quality of life in a French community sample of obese subjects, **445**
Randomised controlled trial to examine the effects of a GP exercise referral programme in Hailsham, East Sussex, on modifiable coronary heart disease risk factors, **595**
Role of body mass index in the prediction of all cause mortality in over 62 000 men and women. The Italian RIFLE Pooling Project, **20**
bracken, Should we be frightened of bracken? A review of the evidence, **812**
breast cancer, Case-control study of breast cancer in south east England: nutritional factors, **105**
Effect of mammographic breast density on breast cancer screening performance: a study in Nijmegen, the Netherlands, **267**
Evaluation by Markov chain models of a non-randomised breast cancer screening programme in women aged under 50 years in Sweden, **329**
Relation between induced abortion and breast cancer: *letter,* **209**
breast feeding, Inequality in infant morbidity: causes and consequences in England in the 1990s, **451**
breast milk, Contamination of human breast milk with organochlorine residues: a comparison between East and West Germany through sentinel practice networks, **50S**
breast screening, Calculating appropriate target cancer detection rates and expected interval cancer rates for the UK NHS Breast Screening Programme, **111**
Effect on attendance at breast cancer screening of adding a self administered questionnaire to the usual invitation to breast screening in southern England, **116**
bronchial hyperreactivity, Comparison between two districts of the effects of an air pollution intervention on bronchial responsiveness in primary school children in Hong Kong, **571**

calcium, Food patterns, flour fortification, and intakes of calcium and vitamin D: a longitudinal study of Danish adults, **161**
cancer, Avoidable mortality in Europe 1955–1994: a plea for prevention, **624**
Should we be frightened of bracken? A review of the evidence, **812**
Socioeconomic status and stomach cancer incidence in men: results from the Netherlands Cohort Study, **166**
cancer detection rates, Calculating appropriate target cancer detection rates and expected interval cancer rates for the UK NHS Breast Screening Programme, **111**
cancer registration, Mortality from malignant neoplasms in Crete, 1992–1993, **126**
cancers, Incidence and occupational pattern of leukaemias, lymphomas, and testicular tumours in Western Ireland over an 11 year period, **651**
car ownership, Do housing tenure and car access predict health because they are simply markers of income or self esteem? A Scottish study, **657**
cardia, Socioeconomic status and stomach cancer incidence in men: results from the Netherlands Cohort Study, **166**
cardiovascular disease, Alcohol and cardiovascular mortality in Moscow; new evidence of a causal association, **772**
Combined oral contraceptives, smoking, and cardiovascular risk, **775**
Dietary intake and practices in the Hong Kong Chinese population, **631**
High prevalence of cardiovascular risk factors in Gerona, Spain, a province with low myocardial infarction incidence, **707**
Individual social class, area-based deprivation, cardiovascular disease risk factors, and mortality: the Renfrew and Paisley study, **399**
cardiovascular risk factors, Behavioural and biological correlates of physical functioning in middle aged office workers: the UK Whitehall II study, **353**
High effort, low reward, and cardiovascular risk factors in employed Swedish men and women: baseline results from the WOLF Study, **540**
Psychosocial work environment and cardiovascular risk factors in an occupational cohort in France, **93**
β carotene, Incidence of cataract operations in Finnish male smokers unaffected by α tocopherol or β carotene supplements, **468**
case mix, Measuring outpatient resource use and case mix in ophthalmology in north east England, **247**
case-control studies, Use of sequential case-control studies to investigate a community salmonella outbreak in Wales, **272**
cataract, Incidence of cataract operations in Finnish male smokers unaffected by α tocopherol or β carotene supplements, **468**
cause-specific, Socioeconomic differentials in mortality among men within Great Britain: time trends and contributory causes, **214**

centralised reporting, Major incidents in Britain over the past 28 years: the case for the centralised reporting of major incidents, **392**
checklist, The feasibility of creating a checklist for the assessment of the methodological quality both of randomised and non-randomised studies of health care interventions, **377**
chickenpox, Epidemiology of chickenpox in France (1991—1995), **46S**
childhood cancer, Migration patterns of children with cancer in Britain, **716**
childhood health, Role of childhood health in the explanation of socioeconomic inequalities in early adult health, **15**
childhood height, Childhood leg length and adult mortality: follow up of the Carnegie (Boyd Orr) Survey of Diet and Health in Pre-war Britain, **142**
childhood leukaemia, Migration patterns of children with cancer in Britain, **716**
children, Biological monitoring of lead exposure in high risk groups in Berat, Albania, **234**
Chinese, Dietary intake and practices in the Hong Kong Chinese population, **631**
Chinese boxes, Does risk factor epidemiology put epidemiology at risk? Peering into the future, **608**
Chlamydia pneumoniae, Strong correlation between *Helicobacter pylori* seropositivity and *Chlamydia pneumoniae* IgG concentrations, **821**
circumcision, Religious circumcision on the NHS: opinions of Pakistani people in Middlesbrough, England, **758**
clinical governance, Clinical governance: a statutory duty for quality improvement: *editorial,* **73**
cocaine, Cocaine use among heroin users in Spain: the diffusion of crack and cocaine smoking, **172**
cold pressure test, Blood pressure reactions to the cold pressor test and the prediction of ischaemic heart disease: data from the Caerphilly Study , **528**
colorectal cancer, Trends in colorectal cancer care in southern England, 1989–1993: using HES data to inform cancer services reviews, **433**
combined oral contraceptives, Combined oral contraceptives, smoking, and cardiovascular risk, **775**
community health, Misclassification of coronary heart disease in mortality statistics. Evidence from the WHO-MONICA Ghent-Charleroi Study in Belgium, **513**
compliance, Colorectal cancer prevention. An approach to increasing compliance in a faecal occult blood test screening programme, **818**
compression of morbidity, The expiry date of man: a synthesis of evolutionary biology and public health, **619**
compression of mortality, Age at death and rectangularisation of the survival curve: trends in Switzerland, 1969–1994, **412**
computers, A systematic review of the use of computers in the management of hypertension, **520**
congenital heart defects, An excess of tetralogy of Fallot in Malta, **280**
COOP-WONCA charts, Effect of varying the time frame for COOP-WONCA functional health status charts: a nested randomised controlled trial in Bristol, UK, **59**
coronary heart disease, Coronary heart disease epidemiology: a look towards the South: *editorial,* **706**
Is hospital care involved in inequalities in coronary heart disease mortality? Results from the French WHO-MONICA Project in men aged 30–64, **665**
Misclassification of coronary heart disease in mortality statistics. Evidence from the WHO-MONICA Ghent-Charleroi Study in Belgium, **513**
Randomised controlled trial to examine the effects of a GP exercise referral programme in Hailsham, East Sussex,on modifiable coronary heart disease risk factors, **595**
cost effectiveness, Costs, effects, and savings of screening for cystic fibrosis gene carriers, **459**
How many lives is equity worth? A proposal for equity adjusted years of life saved, **808**
cost-benefit analysis, Economic evaluation of cholesterol-related interventions in general practice. An appraisal of the evidence, **586**
country of birth, Impaired mobility and impaired working capacity among foreign born people and native born Swedes, **34**
crack, Cocaine use among heroin users in Spain: the diffusion of crack and cocaine smoking, **172**
cross sectional study, Psychosocial work environment and cardiovascular risk factors in an occupational cohort in France, **93**
cryptogenic fibrosing alveolitis, Does cryptogenic fibrosing alveolitis carry an increased risk of death from lung cancer? , **602**
cystic fibrosis, Costs, effects, and savings of screening for cystic fibrosis gene carriers, **459**

death certificate, Misclassification of coronary heart disease in mortality statistics. Evidence from the WHO-MONICA Ghent-Charleroi Study in Belgium, **513**
depression, Anxiety and depression in patients with lung cancer before and after diagnosis: findings from a population in Glasgow, Scotland, **203**
deprivation, A higher prevalence of health problems in low income groups: does it reflect relative deprivation?, **548**
Deprivation indicators as predictors of life events 1981–1992 based on the UK ONS longitudinal study, **228**
Inequality in infant morbidity: causes and consequences in England in the 1990s, **451**
Measuring social class differences in cancer patient survival: Is it necessary to control for social class differences in general population mortality? A Finnish population-based study, **727**
deprivation payments, General practice deprivation payments: are rural practices disadvantaged?, **530**
diabetes mellitus, Control group characteristics and study outcomes: empirical data from a study on mortality of patients with type 2 diabetes, **9S**
diabetic retinopathy, Impact of diabetic retinopathy screening on a British district population: case detection and blindness prevention in an evidence-based model, **45**
diarrhoea, Inequality in infant morbidity: causes and consequences in England in the 1990s, **451**
diet, Blood thiamin status and determinants in the population of Seychelles (Indian Ocean), **237**
Dietary intake and practices in the Hong Kong Chinese population, **631**
disability, Relation between locomotion impairment, functional independence in retirement, and occupational strain resulting from work carried out during working life. Study of a sample population of 350 miners in the Loire valley in France, **283**
disease outbreaks, Use of sequential case-control studies to investigate a community salmonella outbreak in Wales, **272**
dose classification, Dose classification: *letter,* **340**
drug therapy, Sentinel practices in evaluating longer periods of care: quality of life and drug therapy of terminally ill persons in Lower Saxony (Germany), **56S**

early adult health, Role of childhood health in the explanation of socioeconomic inequalities in early adult health, **15**
ecological effects, Deprivation indicators as predictors of life events 1981–1992 based on the UK ONS longitudinal study, **228**
economic cycle, Effect of a transient, geographically localised economic recovery on community health and income studied with longitudinal household cohort interview method, **749**
education, Differences in self reported morbidity by educational level: A comparison of 11 Western European countries, **219**
Education and occupational social class: which is the more important indicator of mortality risk?, **153**
Health related lifestyle in adolescence predicts adult educational level: a longitudinal study from Finland, **794**
Is hospital care involved in inequalities in coronary heart disease mortality? Results from the French WHO-MONICA Project in men aged 30–64, **665**
effort-reward imbalance, High effort, low reward, and cardiovascular risk factors in employed Swedish men and women: baseline results from the WOLF Study, **540**
elderly people, Food safety knowledge and practice among elderly people living at home, **745**
emergency helpline, The Worcester water incident, UK: bias in self reported symptoms to an emergency helpline, **526**
environment, Biological monitoring of lead exposure in high risk groups in Berat, Albania, **234**
environmental hazards, Migration patterns of children with cancer in Britain, **716**
environmental tobacco smoke, Economic burden of environmental tobacco smoke on Hong Kong families: scale and impact, **53**
epidemiology, Does risk factor epidemiology put epidemiology at risk? Peering into the future, **608**
Epidemiology and bacteriology in 1900: who is the handmaid of whom?: *commentary,* **617**
Epidemiology between social and natural sciences: *commentary,* **616**
In this number, **701**
Multilevel ecoepidemiology and parsimony: *commentary,* **614**
Our conscientious objection to the epidemiology wars: *commentary,* **613**
The loss of the population approach puts epidemiology at risk: *commentary,* **615**
Wider "causal thinking in the health sciences": *commentary,* **612**
Epstein-Barr virus, Epidemiology of Epstein-Barr virus infection in pre-adolescent children: application of a new salivary method in Edinburgh, Scotland, **101**
equity, How many lives is equity worth? A proposal for equity adjusted years of life saved, **808**
Super Profile analysis of socioeconomic variations in coronary investigation and revascularisation rates, **507**
ethnic differences, Reported health, lifestyles, and use of health care of first generation immigrants in the Netherlands: do socioeconomic factors explain their adverse position?, **298**
ethnic groups, Generational continuity and change in British Asian health and health behaviour, **558**
ethnic minorities, Perinatal death in ethnic minorities in the Netherlands, **735**
Europe, The onward march of European public health: *editorial,* **770**

European Union, A new chapter in public health: Britain's changing relationship with the European Union: *editorial,* **606**
evaluation, Health benefits of joint replacement surgery for patients with osteoarthritis: prospective evaluation using independent assessments in Scotland, **564**
evolutionary biology, The expiry date of man: a synthesis of evolutionary biology and public health, **619**
exercise adherence, Randomised controlled trial to examine the effects of a GP exercise referral programme in Hailsham, East Sussex,on modifiable coronary heart disease risk factors, **595**
experimentation: quasi experimentation, Evidence into practice, experimentation and quasi experimentation: are the methods up to the task?, **75**

ferritin, Vitamins, selenium, iron, and coronary heart disease risk in Indians, Malays, and Chinese in Singapore, **181**
follow up, Design, objectives, and lessons from a pilot 25 year follow up re-survey of survivors in the Whitehall study of London Civil Servants, **364**
food, The new globalisation, food and health: is public health receiving its due emphasis?: *editorial,* **538**
food patterns, Food patterns, flour fortification, and intakes of calcium and vitamin D: a longitudinal study of Danish adults, **161**
food poisoning, Food safety knowledge and practice among elderly people living at home, **745**
food safety, Food safety knowledge and practice among elderly people living at home, **745**
fortification, Food patterns, flour fortification, and intakes of calcium and vitamin D: a longitudinal study of Danish adults, **161**

general hospital, Do general practitioner hospitals reduce the utilisation of general hospital beds? Evidence from Finnmark county in north Norway, **243**
general practice, Audit of populations in general practice: the creation of a national resource for the study of morbidity in Scottish general practice, **20S**
general practitioner hospital, Do general practitioner hospitals reduce the utilisation of general hospital beds? Evidence from Finnmark county in north Norway, **243**
genetic screening, Costs, effects, and savings of screening for cystic fibrosis gene carriers, **459**
geographical origin, What's not in a name. The accuracy of using names to ascribe religious and geographical origin in a British population, **336**
Gini coefficient, Age differential mortality in Spain, 1900–1991, **259**
globalisation, The new globalisation, food and health: is public health receiving its due emphasis?: *editorial,* **538**
Gompertz function, Age differential mortality in Spain, 1900–1991, **259**
government, Our healthier nation: alpha for presentation, beta minus for deliverability: *editorial,* **474**

handedness, Is forced dextrality an explanation for the fall in the prevalence of sinistrality with age? A study in northern England, **41**
health, A higher prevalence of health problems in low income groups: does it reflect relative deprivation?, **548**
Generational continuity and change in British Asian health and health behaviour, **558**
Urban-rural variations in health in the Netherlands: does selective migration play a part?, **487**
health behaviour, Generational continuity and change in British Asian health and health behaviour, **558**
health care, Reported health, lifestyles, and use of health care of first generation immigrants in the Netherlands: do socioeconomic factors explain their adverse position?, **298**
health care interventions, The feasibility of creating a checklist for the assessment of the methodological quality both of randomised and non-randomised studies of health care interventions, **377**
health diary, Validity and accuracy of interview and diary data on children's medical utilisation in the Netherlands, **65**
health economics, How many lives is equity worth? A proposal for equity adjusted years of life saved, **808**
health promotion, Randomised controlled trial to examine the effects of a GP exercise referral programme in Hailsham, East Sussex,on modifiable coronary heart disease risk factors, **595**
health related lifestyle, Health related lifestyle in adolescence predicts adult educational level: a longitudinal study from Finland, **794**
health sector reform, Health sector reform: *editorial,* **768**
health services utilisation, Health care expenditures after introduction of a gatekeeper and a global budget in a Swiss health insurance plan, **370**
health status, Effect of a transient, geographically localised economic recovery on community health and income studied with longitudinal household cohort interview method, **749**
Relation between locomotion impairment, functional independence in retirement, and occupational strain resulting from work carried out during working life. Study of a sample population of 350 miners in the Loire valley in France, **283**
health surveys, Differences in self reported morbidity by educational level: A comparison of 11 Western European countries, **219**
Impaired mobility and impaired working capacity among foreign born people and native born Swedes, **34**
heatwave, Excess mortality in England and Wales, and in Greater London, during the 1995 heatwave, **482**
Helicobacter pylori, Strong correlation between *Helicobacter pylori* seropositivity and *Chlamydia pneumoniae* IgG concentrations, **821**
Testing for *Helicobacter pylori* in primary care: trouble in store?, **305**
heroin users, Cocaine use among heroin users in Spain: the diffusion of crack and cocaine smoking, **172**
herpes virus 4, Epidemiology of Epstein-Barr virus infection in preadolescent children: application of a new salivary method in Edinburgh, Scotland, **101**
hip fracture, Reproductive factors and fatal hip fractures. A Norwegian prospective study of 63 000 women, **645**
HIV seroprevalence, HIV/AIDS in Pakistan: the context and magnitude of an emerging threat, **579**
HIV/AIDS, HIV/AIDS in Pakistan: the context and magnitude of an emerging threat, **579**
hospital care, Is hospital care involved in inequalities in coronary heart disease mortality? Results from the French WHO-MONICA Project in men aged 30–64, **665**
hospital utilisation, Do general practitioner hospitals reduce the utilisation of general hospital beds? Evidence from Finnmark county in north Norway, **243**
hospitalisation, Hospitalisation of the elderly during the last year of life: an application of record linkage in Western Australia 1985–1994, **740**
house fires, Smoke alarm ownership and house fire death rates in children, **760**
housing tenure, Do housing tenure and car access predict health because they are simply markers of income or self esteem? A Scottish study, **657**
human health, Should we be frightened of bracken? A review of the evidence, **812**
hypercholesterolaemia, Economic evaluation of cholesterol-related interventions in general practice. An appraisal of the evidence, **586**
hypertension, A systematic review of the use of computers in the management of hypertension, **520**

impaired mobility, Impaired mobility and impaired working capacity among foreign born people and native born Swedes, **34**
impaired working capacity, Impaired mobility and impaired working capacity among foreign born people and native born Swedes, **34**
incentives, Unexpected effects of a prior feedback letter and a professional layout on the response rate to a mail survey in Geneva, **128**
income, A higher prevalence of health problems in low income groups: does it reflect relative deprivation?, **548**
Effect of a transient, geographically localised economic recovery on community health and income studied with longitudinal household cohort interview method, **749**
index scales, Detecting measurement confounding in epidemiological research: construct validity in scaling risk behaviours: based on a population sample in Minnesota, USA, **195**
inequality, Differences in self reported morbidity by educational level: A comparison of 11 Western European countries, **219**
infant death rate, Underregistration of neonatal deaths: an empirical study of the accuracy of infantile vital statistics in Taiwan, **289**
infant morbidity, Inequality in infant morbidity: causes and consequences in England in the 1990s, **451**
infant mortality, Midwifery care, social and medical risk factors, and birth outcomes in the USA, **310**
Monitoring fetal and infant survival using regional birth notification data in north east London, **253**
influenza, A study of reasons for an increase in acute respiratory tract infections reported by influenza sentinel practices in Germany, **43S**
Programme for the surveillance of influenza in Portugal: results of the period 1990—1996, **39S**
Surveillance of influenza in Wales: interpreting sentinel general practice rates using contemporaneous laboratory data. Opportunities and limitations, **28S**
Surveillance of influenza-like illness in France. The example of the 1995/1996 epidemic, **32S**
insulin dependent diabetes mellitus, No evidence that vaccines cause insulin dependent diabetes mellitus, **674**
intervention study, Comparison between two districts of the effects of an air pollution intervention on bronchial responsiveness in primary school children in Hong Kong, **571**
interventions, Evidence into practice, experimentation and quasi experimentation: are the methods up to the task?, **75**
interviewer administered questionnaire, A randomised controlled trial of postal versus interviewer administration of a questionnaire measuring satisfaction with, and use of, services received in the year before death, **802**
interviews, Validity and accuracy of interview and diary data on children's medical utilisation in the Netherlands, **65**
intrapartum intervention, UK study of intrapartum care for low risk primigravidas: a survey of interventions, **494**

ischaemic heart disease, Cardiovascular risk during early adult life. Risk markers among participants in "Live for Life" health promotion programme in Sweden, **425**
Do changes in cardiovascular risk factors explain the increasing socioeconomic difference in mortality from ischaemic heart disease in Finland?, **416**

job stress, Psychosocial work environment and cardiovascular risk factors in an occupational cohort in France, **93**
joint replacement, Health benefits of joint replacement surgery for patients with osteoarthritis: prospective evaluation using independent assessments in Scotland, **564**

lead, Biological monitoring of lead exposure in high risk groups in Berat, Albania, **234**
leg length, Childhood leg length and adult mortality: follow up of the Carnegie (Boyd Orr) Survey of Diet and Health in Pre-war Britain, **142**
life expectancy, Life expectancy in Danish women and men related to smoking habits: smoking may affect women more , **131**
lifestyle, Lifestyle and occupation, **200**
Socioeconomic status and stomach cancer incidence in men: results from the Netherlands Cohort Study, **166**
literature review, Economic evaluation of cholesterol-related interventions in general practice. An appraisal of the evidence, **586**
locus of control, Psychosocial risk factors and mortality: A prospective study with special focus on social support, social participation, and locus of control in Norway, **476**
longitudinal study, Food patterns, flour fortification, and intakes of calcium and vitamin D: a longitudinal study of Danish adults, **161**
low birthweight, Midwifery care, social and medical risk factors, and birth outcomes in the USA, **310**
lung cancer, Anxiety and depression in patients with lung cancer before and after diagnosis: findings from a population in Glasgow, Scotland, **203**
Decreased survival of patients with lung cancer admitted to a teaching hospital through the emergency department in Barcelona, Spain, **137**
Does cryptogenic fibrosing alveolitis carry an increased risk of death from lung cancer?, **602**
Trends in cigarette consumption cannot fully explain trends in British lung cancer rates, **82**

mail surveys, Unexpected effects of a prior feedback letter and a professional layout on the response rate to a mail survey in Geneva, **128**
major incidents, Major incidents in Britain over the past 28 years: the case for the centralised reporting of major incidents, **392**
malignant neoplasm, Mortality from malignant neoplasms in Crete, 1992–1993, **126**
mammographic screening, Evaluation by Markov chain models of a non-randomised breast cancer screening programme in women aged under 50 years in Sweden, **329**
Effect of mammographic breast density on breast cancer screening performance: a study in Nijmegen, the Netherlands, **267**
mammography, Social inequalities and realisation of opportunistic screening mammographies in Barcelona (Spain), **205**
managed care, Health care expenditures after introduction of a gatekeeper and a global budget in a Swiss health insurance plan, **370**
Markov chain models, Evaluation by Markov chain models of a non-randomised breast cancer screening programme in women aged under 50 years in Sweden, **329**
material wealth, Material standard of living, social class, and the prevalence of the common mental disorders in Great Britain, **8**
maternal blood lead concentrations, Decline of maternal blood lead concentrations in Glasgow, **672**
measurement, Detecting measurement confounding in epidemiological research: construct validity in scaling risk behaviours: based on a population sample in Minnesota, USA, **195**
medical ethics, How many lives is equity worth? A proposal for equity adjusted years of life saved, **808**
medical record linkage, Hospitalisation of the elderly during the last year of life: an application of record linkage in Western Australia 1985–1994, **740**
mental disorders, Higher prevalence of mental disorders in socioeconomically deprived urban areas in the Netherlands: community or personal disadvantage?, **2**
mentholated cigarettes, Mentholated cigarettes and non-lung smoking related cancers in California, USA , **202**
midwife home visiting, Maternal and infant health problems after normal childbirth: a randomised controlled study in Zambia, **385**
midwifery care, Midwifery care, social and medical risk factors, and birth outcomes in the USA, **310**
model, Combined oral contraceptives, smoking, and cardiovascular risk, **775**
Impact of diabetic retinopathy screening on a British district population: case detection and blindness prevention in an evidence-based model, **45**
morbidity, Audit of populations in general practice: the creation of a national resource for the study of morbidity in Scottish general practice, **20S**
Do housing tenure and car access predict health because they are simply markers of income or self esteem? A Scottish study, **657**
Effect of a transient, geographically localised economic recovery on community health and income studied with longitudinal household cohort interview method, **749**
mortality, Age differential mortality in Spain, 1900–1991, **259**
Avoidable mortality in Europe 1955–1994: a plea for prevention, **624**
Childhood leg length and adult mortality: follow up of the Carnegie (Boyd Orr) Survey of Diet and Health in Pre-war Britain, **142**
mortality, Comparative total mortality in 25 years in Italian and Greek middle aged rural men, **638**
Control group characteristics and study outcomes: empirical data from a study on mortality of patients with type 2 diabetes, **9S**
Excess mortality in England and Wales, and in Greater London, during the 1995 heatwave, **482**
Is forced dextrality an explanation for the fall in the prevalence of sinistrality with age? A study in northern England, **41**
Mortality from malignant neoplasms in Crete, 1992–1993, **126**
Psychosocial risk factors and mortality: A prospective study with special focus on social support, social participation, and locus of control in Norway, **476**
Role of body mass index in the prediction of all cause mortality in over 62 000 men and women. The Italian RIFLE Pooling Project, **20**
Who dies from hernia?, **532**
mortality risk, Education and occupational social class: which is the more important indicator of mortality risk?, **153**
myocardial infarction, Effects of changes in smoking status on risk estimates for myocardial infarction among women recruited for the Royal College of General Practitioners' Oral Contraception Study in the UK, **420**

name searching, What's not in a name. The accuracy of using names to ascribe religious and geographical origin in a British population, **336**
national health, Our healthier nation: alpha for presentation, beta minus for deliverability: *editorial*, **474**
neonates, Biological monitoring of lead exposure in high risk groups in Berat, Albania, **234**
Nigerians, John Henryism and blood pressure among Nigerian civil servants, **186**
non-cardia, Socioeconomic status and stomach cancer incidence in men: results from the Netherlands Cohort Study, **166**
non-lung smoking related cancer, Mentholated cigarettes and non-lung smoking related cancers in California, USA, **202**
normal delivery, Maternal and infant health problems after normal childbirth: a randomised controlled study in Zambia, **385**
nutrition, Case-control study of breast cancer in south east England: nutritional factors, **105**

obesity, "Specific" scale compared with "generic" scale: a double measurement of the quality of life in a French community sample of obese subjects, **445**
occupation, Incidence and occupational pattern of leukaemias, lymphomas, and testicular tumours in Western Ireland over an 11 year period, **651**
Lifestyle and occupation, **200**
occupational categories, Is hospital care involved in inequalities in coronary heart disease mortality? Results from the French WHO-MONICA Project in men aged 30–64, **665**
occupational social class, Education and occupational social class: which is the more important indicator of mortality risk?, **153**
older people, The Short-Form 36 and older people: some problems encountered when using postal administration, **324**
ophthalomology, Measuring outpatient resource use and case mix in ophthalmology in north east England, **247**
opportunity costs, Economic burden of environmental tobacco smoke on Hong Kong families: scale and impact, **53**
organochlorine, Contamination of human breast milk with organochlorine residues: a comparison between East and West Germany through sentinel practice networks, **50S**
oral contraception, Effects of changes in smoking status on risk estimates for myocardial infarction among women recruited for the Royal College of General Practitioners' Oral Contraception Study in the UK, **420**
osteoarthritis, Health benefits of joint replacement surgery for patients with osteoarthritis: prospective evaluation using independent assessments in Scotland, **564**
osteoporosis, Dietary intake and practices in the Hong Kong Chinese population, **631**
otitis media, Accumulation of factors influencing children's middle ear disease: risk factor modelling on a large population cohort, **786**
outpatient resource use, Measuring outpatient resource use and case mix in ophthalmology in north east England, **247**

Pakistan, HIV/AIDS in Pakistan: the context and magnitude of an emerging threat, **579**
paracetamol, "Late presenters" after paracetamol self poisoning, **762**
periconceptional folic acid, Periconceptional folic acid in the Netherlands in 1995. Socioeconomic differences, **826**

perinatal death, Perinatal death in ethnic minorities in the Netherlands, **735**
petroleum industry, Lifestyle and occupation, **200**
physical activity, Randomised controlled trial to examine the effects of a GP exercise referral programme in Hailsham, East Sussex,on modifiable coronary heart disease risk factors, **595**
poliomyelitis, Thirty year trend (1967–1996) in prevalence of poliomyelitis and vaccine coverage in Ballabgarh, Haryana, India, **823**
population based, Misclassification of coronary heart disease in mortality statistics. Evidence from the WHO-MONICA Ghent-Charleroi Study in Belgium, **513**
population cohort, Accumulation of factors influencing children's middle ear disease: risk factor modelling on a large population cohort, **786**
postal questionnaire, A randomised controlled trial of postal versus interviewer administration of a questionnaire measuring satisfaction with, and use of, services received in the year before death, **802**
postal survey, The feasibility of using a postal survey method to assess the health and development of 7 year old children of different birth weight, **439**
The Short-Form 36 and older people: some problems encountered when using postal administration, **324**
postnatal mental disorders, Predicting postnatal mental disorder with a screening questionnaire: a prospective cohort study from Zimbabwe, **262**
practice-based epidemiology, Approaches to the denominator in practice-based epidemiology: a critical overview, **13S**
prediction, Role of body mass index in the prediction of all cause mortality in over 62 000 men and women. The Italian RIFLE Pooling Project, **20**
predictors, Person, time, and place predictors of seat belt use in Athens, Greece, **534**
pregnancy outcome, Poor antenatal care in 20 French districts: risk factors and pregnancy outcome, **501**
presenile, Incidence of cataract operations in Finnish male smokers unaffected by α tocopherol or β carotene supplements, **468**
prevention, Cardiovascular risk during early adult life. Risk markers among participants in "Live for Life" health promotion programme in Sweden, **425**
primary care, Testing for *Helicobacter pylori* in primary care: trouble in store?, **305**
priority setting, How many lives is equity worth? A proposal for equity adjusted years of life saved, **808**
pro-oxidants, Vitamins, selenium, iron, and coronary heart disease risk in Indians, Malays, and Chinese in Singapore, **181**
psychiatric disorder, Material standard of living, social class, and the prevalence of the common mental disorders in Great Britain, **8**
psychosocial factors, Psychosocial risk factors and mortality: A prospective study with special focus on social support, social participation, and locus of control in Norway, **476**
public awareness campaign, Person, time, and place predictors of seat belt use in Athens, Greece, **534**
public health, A new chapter in public health: Britain's changing relationship with the European Union: *editorial,* **606**
Being prepared to protect the public health. Information for thinking the unthinkable and doing the essential: *editorial,* **702**
Health impact assessment—theory into practice: *editorial,* **704**
Health sector reform: *editorial,* **768**
Participation of French general practitioners in public health surveillance: a multidisciplinary approach, **2S**
Partnership in health: beyond the rhetoric: *editorial,* **410**
Public health surveys in Singapore: *letter,* **764**
Public health: where should we be in 10 years?: *editorial,* **278**
The new globalisation, food and health: is public health receiving its due emphasis?: *editorial,* **538**
The onward march of European public health: *editorial,* **770**
public health management, Public health management: *editorial,* **342**

quality, The feasibility of creating a checklist for the assessment of the methodological quality both of randomised and non-randomised studies of health care interventions, **377**
quality improvement, Clinical governance: a statutory duty for quality improvement: *editorial,* **73**
quality of life, Behavioural and biological correlates of physical functioning in middle aged office workers: the UK Whitehall II study, **353**
"Specific" scale compared with "generic" scale: a double measurement of the quality of life in a French community sample of obese subjects, **445**
questionnaire, Effect on attendance at breast cancer screening of adding a self administered questionnaire to the usual invitation to breast screening in southern England, **116**

randomised controlled trial, Effect of varying the time frame for COOP-WONCA functional health status charts: a nested randomised controlled trial in Bristol, UK, **59**
randomised trials, Unexpected effects of a prior feedback letter and a professional layout on the response rate to a mail survey in Geneva, **128**
rectangularisation, Age at death and rectangularisation of the survival curve: trends in Switzerland, 1969–1994, **412**
refrigerator temperature, Food safety knowledge and practice among elderly people living at home, **745**
relative survival, Measuring social class differences in cancer patient survival: Is it necessary to control for social class differences in general population mortality? A Finnish population-based study, **727**
religious origin, What's not in a name. The accuracy of using names to ascribe religious and geographical origin in a British population, **336**
reproductive epidemiology, Maternal and infant health problems after normal childbirth: a randomised controlled study in Zambia, **385**
reproductive factors, Reproductive factors and fatal hip fractures. A Norwegian prospective study of 63 000 women, **645**
respiratory health, Economic burden of environmental tobacco smoke on Hong Kong families: scale and impact, **53**
respiratory symptoms, School absence and treatment in school children with respiratory symptoms in the Netherlands: data from the Child Health Monitoring System, **359**
respiratory tract infection, A study of reasons for an increase in acute respiratory tract infections reported by influenza sentinel practices in Germany, **43S**
response bias, The feasibility of using a postal survey method to assess the health and development of 7 year old children of different birth weight, **439**
response rate, The feasibility of using a postal survey method to assess the health and development of 7 year old children of different birth weight, **439**
re-survey, Design, objectives, and lessons from a pilot 25 year follow up re-survey of survivors in the Whitehall study of London Civil Servants, **364**
revascularisation, *Super Profile* analysis of socioeconomic variations in coronary investigation and revascularisation rates, **507**
risk behaviour, Detecting measurement confounding in epidemiological research: construct validity in scaling risk behaviours: based on a population sample in Minnesota, USA, **195**
risk factors, Accumulation of factors influencing children's middle ear disease: risk factor modelling on a large population cohort, **786**
Cardiovascular risk during early adult life. Risk markers among participants in "Live for Life" health promotion programme in Sweden, **425**
routine data, Monitoring fetal and infant survival using regional birth notification data in north east London, **253**
rural practices, General practice deprivation payments: are rural practices disadvantaged?, **530**

saliva, Epidemiology of Epstein-Barr virus infection in pre-adolescent children: application of a new salivary method in Edinburgh, Scotland, **101**
salmonella, Use of sequential case-control studies to investigate a community salmonella outbreak in Wales, **272**
school absence, School absence and treatment in school children with respiratory symptoms in the Netherlands: data from the Child Health Monitoring System, **359**
school children, School absence and treatment in school children with respiratory symptoms in the Netherlands: data from the Child Health Monitoring System, **359**
screening, Colorectal cancer prevention. An approach to increasing compliance in a faecal occult blood test screening programme, **818**
Impact of diabetic retinopathy screening on a British district population: case detection and blindness prevention in an evidence-based model, **45**
Social inequalities and realisation of opportunistic screening mammographies in Barcelona (Spain), **205**
screening questionnaire, Predicting postnatal mental disorder with a screening questionnaire: a prospective cohort study from Zimbabwe, **262**
seat belt use, Person, time, and place predictors of seat belt use in Athens, Greece , **534**
selective migration, Urban-rural variations in health in the Netherlands: does selective migration play a part?, **487**
self perceived health problems, Maternal and infant health problems after normal childbirth: a randomised controlled study in Zambia, **385**
self poisoning, "Late presenters" after paracetamol self poisoning, **762**
self reported health, Reported health, lifestyles, and use of health care of first generation immigrants in the Netherlands: do socioeconomic factors explain their adverse position?, **298**
self reported morbidity, Differences in self reported morbidity by educational level: A comparison of 11 Western European countries, **219**
self reported symptoms, The Worcester water incident, UK: bias in self reported symptoms to an emergency helpline, **526**
self selection, Health care expenditures after introduction of a gatekeeper and a global budget in a Swiss health insurance plan, **370**

senile, Incidence of cataract operations in Finnish male smokers unaffected by α tocopherol or β carotene supplements, **468**
sentinel practice networks, A study of reasons for an increase in acute respiratory tract infections reported by influenza sentinel practices in Germany, **43S**
Anonymous unlinked testing as a sentinel approach: experience in Germany, **25S**
Approaches to the denominator in practice-based epidemiology: a critical overview, **13S**
Audit of populations in general practice: the creation of a national resource for the study of morbidity in Scottish general practice, **20S**
Contamination of human breast milk with organochlorine residues: a comparison between East and West Germany through sentinel practice networks, **50S**
Control group characteristics and study outcomes: empirical data from a study on mortality of patients with type 2 diabetes, **9S**
Epidemiology of chickenpox in France (1991—1995), **46S**
Foreword, **1S**
Participation of French general practitioners in public health surveillance: a multidisciplinary approach, **2S**
Programme for the surveillance of influenza in Portugal: results of the period 1990—1996, **39S**
Sentinel practices in evaluating longer periods of care: quality of life and drug therapy of terminally ill persons in Lower Saxony (Germany), **56S**
Surveillance of influenza in Wales: interpreting sentinel general practice rates using contemporaneous laboratory data. Opportunities and limitations, **28S**
Surveillance of influenza-like illness in France. The example of the 1995/1996 epidemic, **32S**
seropositivity, Strong correlation between *Helicobacter pylori* seropositivity and *Chlamydia pneumoniae* IgG concentrations, **821**
Seychelles, Blood thiamin status and determinants in the population of Seychelles (Indian Ocean), **237**
SF-36, "Specific" scale compared with "generic" scale: a double measurement of the quality of life in a French community sample of obese subjects, **445**
Behavioural and biological correlates of physical functioning in middle aged office workers: the UK Whitehall II study, **353**
Short-form 36, The Short-Form 36 and older people: some problems encountered when using postal administration, **324**
Singapore, Public health surveys in Singapore: *letter,* **764**
smoke alarms, Smoke alarm ownership and house fire death rates in children, **760**
smoking, Inequality in infant morbidity: causes and consequences in England in the 1990s, **451**
Life expectancy in Danish women and men related to smoking habits: smoking may affect women more, **131**
Randomised controlled trial to examine the effects of a GP exercise referral programme in Hailsham, East Sussex,on modifiable coronary heart disease risk factors, **595**
Trends in cigarette consumption cannot fully explain trends in British lung cancer rates, **82**
smoking status, Effects of changes in smoking status on risk estimates for myocardial infarction among women recruited for the Royal College of General Practitioners' Oral Contraception Study in the UK, **420**
social class, Individual social class, area-based deprivation, cardiovascular disease risk factors, and mortality: the Renfrew and Paisley study, **399**
Material standard of living, social class, and the prevalence of the common mental disorders in Great Britain, **8**
social class mortality, Why is mortality higher in poorer areas and in more northern areas of England and Wales?, **344**
social inequalities, Social inequalities and realisation of opportunistic screening mammographies in Barcelona (Spain), **205**
social support at work, Psychosocial work environment and cardiovascular risk factors in an occupational cohort in France, **93**
socioeconomic, Socioeconomic status and stomach cancer incidence in men: results from the Netherlands Cohort Study, **166**
socioeconomic differences, Do changes in cardiovascular risk factors explain the increasing socioeconomic difference in mortality from ischaemic heart disease in Finland?, **416**
socioeconomic factors, John Henryism and blood pressure among Nigerian civil servants, **186**
Reported health, lifestyles, and use of health care of first generation immigrants in the Netherlands: do socioeconomic factors explain their adverse position?, **298**
socioeconomic mortality differentials, Socioeconomic differentials in mortality among men within Great Britain: time trends and contributory causes, **214**
socioeconomic position, Impaired mobility and impaired working capacity among foreign born people and native born Swedes, **34**
socioeconomic status, *Super Profile* analysis of socioeconomic variations in coronary investigation and revascularisation rates, **507**
Measuring social class differences in cancer patient survival: Is it necessary to control for social class differences in general population mortality? A Finnish population-based study, **727**
Role of childhood health in the explanation of socioeconomic inequalities in early adult health, **15**
Spain, Age differential mortality in Spain, 1900–1991, **259**
High prevalence of cardiovascular risk factors in Gerona, Spain, a province with low myocardial infarction incidence, **707**
stillbirth, Monitoring fetal and infant survival using regional birth notification data in north east London, **253**
stomach, Socioeconomic status and stomach cancer incidence in men: results from the Netherlands Cohort Study, **166**
stress, John Henryism and blood pressure among Nigerian civil servants, **186**
sudden death, Alcohol and cardiovascular mortality in Moscow; new evidence of a causal association, **772**
sudden infant death syndrome, Weather temperatures and sudden infant death syndrome: a regional study over 22 years in New Zealand, **27**
suicide, Relation between attempted suicide and suicide rates among young people in Europe, **191**
sulphur dioxide, Comparison between two districts of the effects of an air pollution intervention on bronchial responsiveness in primary school children in Hong Kong, **571**
surgery, Incidence of cataract operations in Finnish male smokers unaffected by α tocopherol or β carotene supplements, **468**
surveillance, Participation of French general practitioners in public health surveillance: a multidisciplinary approach, **2S**
surveys, Public health surveys in Singapore: *letter,* **764**
systematic review, A systematic review of the use of computers in the management of hypertension, **520**

Taiwan, Underregistration of neonatal deaths: an empirical study of the accuracy of infantile vital statistics in Taiwan, **289**
tetralogy of Fallot, An excess of tetralogy of Fallot in Malta, **280**
thiamin, Blood thiamin status and determinants in the population of Seychelles (Indian Ocean), **237**
time frame, Effect of varying the time frame for COOP-WONCA functional health status charts: a nested randomised controlled trial in Bristol, UK, **59**
time trends, Socioeconomic differentials in mortality among men within Great Britain: time trends and contributory causes, **214**
Trends in cigarette consumption cannot fully explain trends in British lung cancer rates, **82**
α tocopherol, Incidence of cataract operations in Finnish male smokers unaffected by α tocopherol or β carotene supplements, **468**
toxoplasmosis, Seroprevalence of toxoplasmosis in women with repeated abortions in Kashmir, **135**
trunk length, Childhood leg length and adult mortality: follow up of the Carnegie (Boyd Orr) Survey of Diet and Health in Pre-war Britain, **142**

underregistration, Underregistration of neonatal deaths: an empirical study of the accuracy of infantile vital statistics in Taiwan, **289**
urban socioeconic differences, Higher prevalence of mental disorders in socioeconomically deprived urban areas in the Netherlands: community or personal disadvantage?, **2**
urbanisation, Urban-rural variations in health in the Netherlands: does selective migration play a part?, **487**
use of health services, Poor antenatal care in 20 French districts: risk factors and pregnancy outcome, **501**

vaccine, No evidence that vaccines cause insulin dependent diabetes mellitus, **674**
vaccine coverage, Thirty year trend (1967–1996) in prevalence of poliomyelitis and vaccine coverage in Ballabgarh, Haryana, India, **823**
vaccinology, Evidence-based vaccinology: The work of the Cochrane Vaccines Field, **207**
validation, Misclassification of coronary heart disease in mortality statistics. Evidence from the WHO-MONICA Ghent-Charleroi Study in Belgium, **513**
validity, Validity and accuracy of interview and diary data on children's medical utilisation in the Netherlands, **65**
vitamin D, Food patterns, flour fortification, and intakes of calcium and vitamin D: a longitudinal study of Danish adults, **161**

weather temperature, Weather temperatures and sudden infant death syndrome: a regional study over 22 years in New Zealand, **27**
wheeze, Inequality in infant morbidity: causes and consequences in England in the 1990s, **451**
work stress, High effort, low reward, and cardiovascular risk factors in employed Swedish men and women: baseline results from the WOLF Study, **540**
workplace, Colorectal cancer prevention. An approach to increasing compliance in a faecal occult blood test screening programme, **818**

youth, Relation between attempted suicide and suicide rates among young people in Europe, **191**